he Newspaper the Industry

Member Audit Bureau of Circulations



Issued Every Monday at 5229 Cass Ave., Detroit 2, Mich.

JULY 2,

Vol. 45, No. 9, Serial No. 850. Established 1926.

Reentered as second-class matter October 3, 1936 at the post office at Detroit, Michigan, under the Act of March 3, 1879. Trade Mark Registered U. S. Patent Office. Copyright, 1945, by Business News Publishing Co.

Inside Dope

By George F. Taubeneck

Note to Manufacturers Powel Crosley, Jr. Why He Did It Big Men Needed veo's Topshots Victor Emanuel

ote to Manufacturers

Did you know that you can prerminate war contracts?

The War Department's representaves will work with you in ironing it the details of your final settleent before you have received a otice of cancellation and this dvance work will be accepted as alid after your war production conact has been cancelled.

That's a mighty handy arrangeent for those who are anxious to et back into the production of civiln goods. It helps clear the track or faster reconversion.

Powel Crosley, Jr.

Most interesting news, of recent weeks is the sale of the Crosley Corp. the Aviation Corp. (See story on age 1 of this issue.)

There's a great deal of interesting ackground material behind this ammoth purchase.

When "Dope" first heard about the egotiations which preliminaried this ransaction, he was a bit skeptical. Reason: it didn't seem possible that lowel would give up his dream of ecoming a leading automobile manu-

We knew, from hearing him talk, w much store he set upon the ealization of that dream.

Well, when the sale finally was oncluded, it turned out that Powel adn't relinquished that dream. He ad reserved the Crosley Car busiess for himself.

For many years, "Dope" has main-ained that Powel Crosley, Jr., has nloved one of the most interesting ves of any man we know.

Just look: he owned and operated ne of the nation's leading radio staons (which had more than the nornal share of glamour which attends most radio broadcasting); he owned and operated the Cincinnati Reds major league baseball team; he ownd and operated a tremendous manuacturing business. All under one tent! He still has that fine baseball team. But now he can concentrate on the utomobile business—which is the iggest business in the world, and the oughest to crack. And that's the ne which challenges him the most.

Why He Did It

So we believe him when he writes: "My decision to sell was based on rsonal considerations, one of which my desire to concentrate on the nanufacture of the Croslev automo-We are planning a new light ar, much improved in design and quality over the prewar model.

'A new company will be organized produce and sell the car. Crosley ockholders will have an opportunity acquire pro-rata interests in the

"However, I will remain on the rosley board of directors, and will ontinue to take an active interest the affairs and progress of the

"Avco executives have made it ear that no change is contemplated either in management policy or in the perating heads of the Crosley manuacturing plant or the radio broadasting division.

"Joining forces with Avco and its sociated companies will broaden Crosley peacetime lines and trengthen its nation-wide retail out-(Concluded on Page 8, Column 1)

No Changes In **Crosley Policy** Planned — Avco

CINCINNATI-There seems to be no indication at this time that there will be any major changes in the operation of Crosley Corp., which will operate as a subsidiary of The Aviation Corp. if the purchase (as reported in the June 25 Bulletin Edition) is approved by the Federal Communications Commission.

In announcing that they were purchasing 64% of Crosley Corp.'s 545,800 shares of stock, Victor Emanuel, chairman, and Irving B. Babcock, president of Avco, stated that "no change is planned in Crosley management policies or in operating personnel."

J. H. Rasmussen, general sales manager, Crosley manufacturing division, addressed a letter to all Crosley distributors, in which he said in part:

"R. C. Cosgrove will retain his position as vice president and general manager. There will be no changes in policy or in operating personnel. I do not plan any changes in the sales department. The pre-viously planned expansion program will be carried through."

Announcement of Avco's purchase of Crosley led to some conjecturing in the trade as to what might become of Avco's own activity in the development of a line of appliances.

Development along these lines has been underway for about two years, and there had been some indication that preliminary models of gas and (Concluded on Page 29, Column 2)

Fedders To Resume **Unit Cooler Line**

BUFFALO - Fedders Mfg. Co., Inc., which dropped its refrigeration line except for water coolers during the war, is definitely planning to return to the field, according to E. C. Scott, sales manager in charge of air conditioning and heating.

Production plans have already been drawn up to resume manufacture of its line of forced draft unit coolers and, before the end of the year, at least one model will be on the market, Mr. Scott said, adding that the first models will resemble quite closely the prewar design.

"We will also produce condenser coils for the condensing unit manufacturers, but we probably won't resume valve production," he declared.

Prior to the war Fedders had a complete line of thermostatic and (Concluded on Back Page, Column 3)

Gas From Well-Water System

12 Firms Get Okay All Restrictions on Refrigerators For Production of 155,797 Washers

WASHINGTON, D. C .- Authorizations for the production of 155,797 domestic washing machines in the third quarter have been assigned to 12 manufacturers, and the balance of the 350,000 units scheduled for this quarter will probably be assigned by July 1, according to WPB.

Allotments of controlled materials, such as steel, aluminum, and copper, will be issued to the manufacturers by WPB, which also assigns AA-3 preference rating for orders on other materials and components.

Quota assignments will permit washer manufacturers to produce at about 27% of their pre-war level of output, according to Stanley Adams, director of WPB's consumer durable goods division.

Average prices for washers will be "equal to or lower than" the average prewar price, Mr. Adams declared.

Rated military and other orders will get first call on the new washers, but those not needed to fill these demands may be made available to the general public through nor-(Concluded on Back Page, Column 1)

Repairmen Can Use CMP 9A Ratings On Motor Repairs

WASHINGTON, D. C.-Repairmen using the ratings assigned by CMP Regulation 9-A or Order P-126 may use the ratings to get motors repaired, rewound, or rebuilt if they are used in such products as refrigerators, washers, oil burners, coal stokers, or in commercial refrigerating systems, despite the provisions of Priorities Regulation 3, the WPB ruled on June 22.

What this means in effect is that repairmen can apply a rating that will push their motor repairs ahead of unrated work and AA-5 rated

Credit is due to the Electrical and Mechanical Repair Trades Section of the Office of Civilian Requirements in getting this provision through.

Text of Directive 5 to CMP Regulation 9-A is as follows:

USE OF RATINGS FOR REPAIR OF MOTORS

Despite the provisions of paragraph (f) of Priorities Regulation 3, repairmen using the ratings assigned by CMP Regulation 9A or Order P-126, may use the rating to get motors repaired, rewound, or rebuilt which are used in such products as which are used in such products as household refrigerators, washers, oil burners, coal stokers, etc., or in commercial refrigeration systems.

Williams To Return To Cooling Field BLOOMINGTON, Ill. - Extensive plans for its "Air-O-Matic" year-

around air conditioning, and contemplated return to the commercial refrigeration field with its "Ice-O-Matic" line have been announced by W. A. Matheson, manager of the Williams Oil-O-Matic Division and a vice president and director of the Eureka Vacuum Cleaner Co., which recently merged with the Williams company.

As previously announced, Henry W. Burritt, Eureka president since 1939, is president of the merged

companies.

Both Oil-O-Matic and Eureka will continue with entirely separate, completely independent sales and merchandising set-ups, and product trademarks will be carried as before, it was said.

All of the directors and officers of Williams Oil-O-Matic, except Walter W. Williams, continue with Oil-O-Matic. Under terms of the merger, Mr. Williams, principal shareholder of Williams Oil-O-Matic, disposed of his entire interest in the company to Eureka. While other Oil-O-Matic shareholders also had the privilege of disposing of their stock at the same price received by Mr. Williams, few took advantage of this offer. Remaining shareholders receive one share of Eureka for each two shares of Oil-O-Matic they hold.

"Eureka, well-known in the vacu-(Concluded on Back Page, Column 1)

U.S. Standards Set Up For Water Coolers

WASHINGTON, D. C .- Recommended commercial standard for self-contained mechanically refrigerated drinking water coolers has been approved by a satisfactory majority of manufacturers, distributors, and purchasers, and will be considered effective for new production six months after official announcement of the war's end, announces I. J. Fairchild, chief, Division of Trade Standards, National Bureau of Standards.

The new standard, identified as CS127-45, was circulated to the trade April 7 this year as TS-3921. Original proposed standard was drawn up at the instance of the Water Cooler and Drinking Fountain Manufacturers Association on Nov. 25, 1943, and submitted to manufacturers, users, distributors, and government agencies for comment, according to Mr. Fairchild.

Kills 2 In Detroit Theater By C. Dale Mericle Deaths of these two men and DETROIT-Two theater employes

were killed and three other men overcome in rescue attempts when hydrogen sulphide gas escaped from a faulty well-water air conditioning system at the Iris theater, a neighborhood movie house on Detroit's east side, Sunday, June 24. No mechanical refrigeration equipment of any type is included in this system.

The victims were the theater manager, a 56-year-old man, and the ticket-taker, a youth of 22, who were discovered unconscious in the basement machinery room of the movie house, where apparently they had gone to examine the air conditioning system, according to police.

The ticket-taker was dead on admittance to Receiving Hospital 40 minutes after the pair were discovered, and the manager died about three hours later.

resultant investigations brought to light the fact that such well-water air conditioning systems are not covered by any city ordinance or code. The Detroit Board of Health, however, took charge of the case, and, with the cooperation of the city's Bureau of Safety Engineering, has started an examination of all the well-water systems in the city.

The cooling system in the theater was turned on for the first time this season the day before the accident occurred, according to a representative of Associated Theaters, Inc., owner of the Iris and several other movie houses.

Hydrogen sulphide odor (the same gas which gives rotten eggs their notorious aroma) was so bad that the theater manager immediately turned off the pump on the well, the (Concluded on Page 4, Column 3)

Commercial standards should not (Concluded on Page 29, Column 2)

Logan Will Direct Sales For Electric Power Corp.

PHILADELPHIA - Charles R. Logan, who recently resigned as eastern district manager for Superior Valve & Fittings Co., has joined the Electric Power Equipment Corp. of Philadelphia as vice president in charge of sales. The company plans to enter the commercial refrigeration

A former president of the American Society of Refrigerating Engineers, Mr. Logan has been identified with the refrigeration industry for 21 years. He was formerly commercial regional supervisor of York Corp. and at one time directed refrigerator sales for the Electrolux division of Philadelphia Gas Works

3rd Quarter Production Quotas Are Announced For 9 Manufacturers

May Be Off Jan. 1, WPB Says

WASHINGTON, D. C .- In announcing quotas for production of mechanical refrigerators, Stanley Adams, director of WPB's Consumers Durable Goods Division, predicted that "a goodly portion" of the program would be completed by September. However, he emphasized that all units manufactured in the third quarter will be placed in the stockpile and will be available only for essential users.

When the daily rate of production reaches the rate of distribution, all restrictions will be removed, Mr. Adams said. He predicted that this might be by Jan. 1.

Average prices for refrigerators will be "equal to or lower than" the average price at which they were sold before the war, he declared. This will undoubtedly encourage the production of the so-called "stripped model," having a minimum of features, and selling in the lower price

brackets. Following are the quotas announced by Mr. Adams. It should be noted that production of 38,000 units is still unassigned, and will probably go to some manufacturers not on the original list:

Company Quantities Frigidaire Division, Dayton... 56,445 General Electric Co., Erie, Pa. 47,501 Nash-Kelvinator Corp., Detroit 27,825

Seeger-Sunbeam, Evansville, Ind. and St. Paul, Minn.... 25,639 Westinghouse Electric Corp., Mansfield, Ohio 21,068 Servel, Inc., Evansville, Ind... 20,272 Norge Division, Borg-Warner Corp., Muskegon, Mich..... 14,369

Philco Corp., Connersville, Ind., Chicago, & Tecumseh, Mich. 12,090 Ranney Refrigerator Co.,

Greenville, Mich.; Sidney, Ohio, and Tecumseh, Mich... 2,500 Manufacturers can make refrigerators beyond these quotas if they can find materials, and if they get manpower clearance where necessary.

Few Civilian Ranges Expected 3rd Quarter


WASHINGTON, D. C.-Production of electric ranges may increase somewhat in the third quarter, but reach retail channels, reports WPB.

Electric ranges are not rationed, but the greater part of the programmed production (set at a maximum of 35,000 ranges for the quarter) goes to the military services. to housing projects approved by the National Housing Agency, and to institutions that certify need for use with existing service facilities.

Enlarged production will depend on the availability of labor and manufacturers' ability to obtain materials and components without WPB priorities assistance.

In anticipation of reconversion, James F. Brownlee, Deputy Administrator for the Price Department, Office of Price Administration, has discussed with the industry the line of ranges to be put on the market when non-programmed manufacture gets under way. Production of large quantities of low and medium-priced articles is desired as an anti-inflation measure and to prevent hardships to low-salaried and fixed-income groups.

An average-price range, or a limited line including lower and medium-priced models, will be produced in the first months of recon-(Concluded on Back Page, Column 2)



Industrial Conference Board Tells Why OPA Pricing Is Likely To Retard Reconversion

NEW YORK CITY—Asserting that OPA's reconversion pricing formula will impede speedy expansion of civilian production because it is based on faulty assumptions about unit costs and overhead, a detailed study of the program and its probable consequences by the staff of the National Industrial Conference Board emphasizes the need for greater reliance on the profit incentive in reconversion pricing, and a more definite yardstick for the removal of price controls after final victory.

"OPA's price control program," the study declares (June 19) "might work very well if the economy were already reconverted to peacetime producton and going at full blast. Then, of course, it wouldn't be needed. Because it is based on assumptions about unit costs and profit ratios that would be applicable at best only under conditions of full production, it is really a postreconversion program.

UNIT COSTS MAY BE HIGHER

"But during the reconversion period civilian production in industries that have been engaged in war production for three years or more will begin on a limited scale. In many, if not most cases, production will accelerate slowly while plants are re-equipped, personnel is reorganized, and markets are being reestablished. Unit costs and overhead in this critical period will be higher than those assumed by OPA.

"Under the inelastic ceiling-price system it has announced there will be no margin of profit between these costs and the ceilings for many prime producers and manufacturers. A great many of them will be driven to the wall or discouraged, and, unless more realistic pricing formulas are adopted, the program promises to defeat or seriously delay reconversion and full production."

3 MISTAKEN ASSUMPTIONS

The study said OPA had made three mistaken assumptions: That labor productivity has so increased that current wage rates are desirable for reconversion; that a volume of production greater than in 1941 would make possible reduced selling expenses, and that the profit for each unit in 1936-39 is "representative" for reconversion purposes.

It observes that drastic changes in the character of production during the war have upset the conventional indexes of productivity per worker, but points out that output per man hour in many civilian industries was lower in 1943 and 1944 than it was in 1939, according to studies by the Conference Board and the Bureau of Labor Statistics, while unit labor costs have risen sharply.

"OPA has over-emphasized increased physical productivity and played down increased unit labor costs," the study declares. "Profits are still tied to 1936-38 relationships, while labor costs are moved forward to May, 1945."

Concerning the second assumption, relating to volume production, the study says: "The pertinent question here is whether high production will be achieved in the months immediately ahead for which the reconversion pricing program is designed."

'36-'39 MARGINS ENOUGH?

OPA's third assumption, adequacy of 1936-39 profit margins, is questioned on three grounds: Failure to allow for increased costs outside labor and materials, such as making good deferred maintenance, rebuilding depleted inventories, and reestablishing civilian markets after selling entire output to the government for several years; the fact that more than 50% of manufacturing corporations failed to make a profit in the base period; and OPA's policy of refusing relief to individual firms where industry-wide earnings are adequate in relation to the base period, a policy at variance with that of Congress in providing relief under the excess-profits tax for concerns able to prove their operations were not "normal" in the 1936-39 period.

WHEN DO CONTROLS GO?

Depicting uncertainty about the duration of price controls as another deterrent to energetic reconversion, the Conference Board study declares: "The criteria and time schedule for the relaxation of controls may well become the center of bitter dispute. OPA has simply promised that controls will be relaxed just as soon as they possibly can or when supply and demand are brought into equilibrium, or 'as fast as the need for them ends."

The study asserts that "these open-end promises of relaxation form a poor basis for forward planning by American business. Prices are too significant a determinant of business activity and of production for market to be dismissed without more specific assurance of future policy. Administrative decisions regarding relaxation 'on a selective basis' may not make for confidence in the course of future prices."

"After the war," the study concludes, "it will again be necessary to rely upon the profit incentive to obtain an adequate supply of goods. Motives that impelled all-out production during the war, despite a rela. tively low return on sales, will be absent.

"It is questionable whether OPA in its formula has found an accept. able substitute, particularly in its insistence upon tight margins and its use of 1936-39 as a 'normal' period. Demands for relaxation or cessation of controls are bound to arise if material and human resources, freed for civilian production, remain unemployed because ceilings discourage production."

Krich 'Package' Kitchen To Offer Products of Various Manufacturers

NEWARK, N. J.-Extensive promotion of completely equipped kitchens centering around its newly devised "Triple A All-American Automatic" package will feature postwar merchandising activities of Krich-Radisco, Inc., appliance distributor here.

The package offers a combination of Norge refrigerators, home freezers, electric and gas ranges; Bendix automatic washers; Eureka garbage disposers; and American sinks and automatic dishwashers. All these lines are handled by 90% of the firm's dealers.

In addition, the company distributes RCA Victor, Ironrite, and New Home lines.

Dealer displays are expected to be based on the "packaged kitchen" idea, using the registered name "Triple A All-American Automatic."

To help dealers by furnishing them with sales helps, sales methods, and layouts for complete kitchen selling, Krich-Radisco will establish "Triple A Institute" headed by home planner and economist with a trained staff.

Ohio Measure Would Set Carrying Charges

COLUMBUS, Ohio - A measure which would limit carrying charges on retail instalment contracts was recently recommended for passage by the judiciary committee of the Ohio House of Representatives.

Under the proposed legislation, maximum financing charges would be: 12% a year on the first \$100 of the unpaid balance; 10% on the next \$200 of unpaid balance; 7% on unpaid balance in excess of \$300.

be

tis

me

ani

Introduced by Rep. Howard M. Metzenbaum, Cuvahoga Democra who said charges now run as high as 60%, the bill also prescribes the form of retail instalment contract and sets a scale for additional charges against delinquent payments. A fine of \$1,000 or a year's imprisonment, is proposed.



OF AMERICA, 1975 Gulf Building, Pittsburgh 19, Pennsylvania.



ess patented); good looking on the sales





Here's why Frigidaire Dealers <u>know</u> where tomorrow's big advances are coming from!

THERE'S NO DOUBT in the minds of Frigidaire Dealers as to which manufacturer will score the really important advances in refrigerator design during the years ahead.

ices are ant of oduction without future ions re selective nfidence dy conntive to f goods. produca relawill be er OPA acceptins and 'normal' ation or ound to

duction, ceilings

tchen

rers

d kitchnewly
merican
feature
ities of
ce disbination
freezers,
Bendix
garbage

of the

ny dis-

te, and
ed to be
kitchen"
name
omatic."
ng them
ods, and

selling, lish a l by a with a

neasure

charges ts was

passage

of the

islation,

\$100 of he next

\$300. ard M.

mocrat, as high

bes the

ditiona

yments prison

would

For they know that the only sound way to measure promises for the future is by the record of past performance. And they have to look back only to 1939 to be reminded that it was Frigidaire which pioneered the most revolutionary refrigeration advance in recent years.

This was the sensational Frigidaire Cold Wall Refrigerator, first practical application to household refrigeration of direct cooling through the walls, instead of by conventional methods.

Nor is this all. The greatest forward step in refrigeration previous to the Cold Wall was the development, in cooperation with General Motors research scientists, of "Freon"—a refrigerant with such ideal properties that practically all mechanical refrigerators now use it.

And in addition to "Freon?" The Meter-Miser, simplest refrigerating mechanism ever built—another Frigidaire triumph in product design.

The Hydrator . . . the Cold Control . . . the Quickube Ice Tray . . . the onepiece, all-steel cabinet—all these and many more were "Frigidaire Firsts" in product design!

Frigidaire Dealers—and Frigidaire Product Design

The Frigidaire Cold Wall gave Frigidaire Dealers overwhelming selling advantages—foods kept fresh for days without covering . . . no transfer of food odors . . . two storage compartments, completely separate and maintained at different temperatures . . .

Looking ahead, Frigidaire Dealers know that the same kind of research that developed the Cold Wall, and all Frigidaire's other "Firsts," will continue to bring them the leadership in product design that means . . . Leadership in Sales!

BUY AND KEEP MORE WAR BONDS!

Look to Frigidaire for Leadership through ... PRODUCT DESIGN!



announcement

POTTER and HALSEY, Inc.

545 FIFTH AVENUE NEW YORK 17, N. Y.

has been appointed by


REFRIGERATION PATENTS CORPORATION OF BUFFALO, N. Y.

as its sole agent for the purpose of negotiating licenses with responsible manufacturers under Potter *et al.* Patent No. 2,056,165 pertaining to household refrigerators. Attractive terms are offered.

Inquiries solicited

* * * BUY MORE WAR BONDS

* * * *



It is easier to see a refrigerator with Formica colored breaker strips and door backs on the salesroom floor, than it is one in plain black and white.

Watch the prospects pick it out and walk right up to it!

You can get this strong selling force for your first after-the-war boxes, for there is no elaborate preliminary engineering necessary. Just order your breaker strips in cool neutral pastel colors instead of black or white and install them just as you have always installed them.

Formica will stand sweating without spotting. It is hard and durable and will take the attention of the most energetic housekeepers without deterioration in appearance. Samples sent to manufacturers on request.

THE FORMICA INSULATION CO.
4613 Spring Grove Ave. Cincinnati 32, Ohio



Well Water Gas Kills 2 --

(Concluded from Page 1, Column 3) theater owner representative told investigators.

For some years the theater has received complaints, chiefly from adjoining stores, concerning the bad odor from the well-water system, admitted the representative. Originally the well water had been discharged into a "dry" well at the rear of the theater, but this never worked satisfactorily so in recent years the waste water has been dumped into the city sewer system, he explained.

To counteract the unpleasant odor the theater management for the past few years has added a special corrosion inhibitor to the well water, as it left the pump, which was intended to destroy the odor, said the theater representative.

When the theater manager had observed the presence of hydrogen sulphide gas as he started the pump on Saturday, he stopped the pump and asked the local representative of North American Fibre Products Co. of Cleveland, which supplies the inhibiting agent, to check the system with him the next day, Sunday, reported the theater owners.

Upon examining the by-pass hookup at the pump where the inhibitor is added to the system on Sunday afternoon, the man who supplies the inhibitor and the theater manager found the valve "frozen" so that none of the fluid could be added, investigators were told by the inhibitor supplier, who also said that he had advised the theater manager to have a plumber install a new by-pass valve and piping the next day.

day.

Later the ticket-taker and the theater manager went down to the poorly ventilated machinery room for some unknown reason, it was reported. At the time of the accident the well pump was still operating and it required some time to locate a switch to turn it off, police say.

OPEN BREAKS IN COIL

The cooling coil through which the well water was pumped at a rate of approximately 60 g.p.m. was in extremely poor condition, according to Board of Health officials. At several points there were open breaks in the coil, chiefly where the coil pipes joined the header, they said, adding the water was still trickling out of these breaks several hours after the pump had been shut down. Vent pipes from the coils were also rusted away, and appeared to be clogged up, they declared.

Investigators were also puzzled by the fact that corner sections of several coils, chiefly in the lowest banks, had been completely eaten away, with only a gray deposit left, which, they said, might possibly be aluminum salts. Coil sections will be examined by chemists, they reported.

Chief mystery of the accident, say Board of Health investigators, is why the multiple v-belts which drive the air-cooling blower in the machinery room were off both the motor and fan pulleys. Inconclusive evidence seems to show, they think, that water squirting out of the breaks in the coils under pressure fell on the belts and the fan motor's slip ring, perhaps causing a short circuit and throwing the belts.

Investigators suspect that the ticket-taker and theater manager may have gone down to the basement machinery room to determine the cause of the fan motor's failure.

STRONG GAS CONCENTRATION

Concentration of hydrogen sulphide gas in the machinery room at the time of the accident was strong enough to "knock out" these men in five to 10 minutes, and preliminary examination of samples of the well water shows a source of this gas sufficient to have caused their deaths, declares Dr. William G. Frederick, of the Detroit Board of Health's Bureau of Industrial Hygiene, active in the investigation.

"When representatives of the Sewer Maintenance Division of Detroit's Department of Public Works tested the air in the machinery room of the theater the night of the accident, they found hydrogen sulphide gas present in the air at the top of the basement in proportion of 600 parts per million," declared Dr. Frederick.

"Even 100 ppm. of hydrogen sulphide will knock a man out in a few minutes," he said.

Examination of water samples

from the well of the Iris theaterevealed that hydrogen sulphide wat present in amounts of between 300 and 400 milliliters per gallon, and cording to Dr. Frederick. This means that one gallon of this well water could supply 100 ppm. 00 hydrogen sulphide to 100 cu. ft. 0 air, he explained.

"Conditions were also ideal to separate the gas from the we water in the machinery room of the theater," he said. "When water is sprayed out in fine streams and bounces off the walls, it is readily degassed. In fact, that is the principle employed in many laboratorie to remove gas from water," addedor. Frederick.

POTENTIAL HAZARD

"This accident further shows the potential hazard of using hydroges sulphide well water in such an acconditioning system," he pointed out "If the space is well ventilated the hydrogen sulphide will be readily dispersed.

"However, any system using hydrogen sulphide water must have proper maintenance and adequate ventilation, and in addition, there should be a gas mask available for use the slightest odor of hydrogen sulphide is observed," warned by Frederick.

"This gas is extremely dangerous and the nose cannot tell you ho much of it is present," he added "Its action first 'blacks out' the sense of smell so that the persocannot determine the concentration of the gas merely by the degree of odor. It is also advisable to have a hydrogen sulphide gas detector of hand, in addition to a gas mask

Dr. Frederick also said he doubte that most well-water systems usin the chemical inhibiting agent applie the solution properly. It consist chiefly of sodium hydroxide, which acts as a corrosion inhibitor and tends to "fix" the hydrogen sulphid to form a salt, he explained.

"I strongly suspect that most such installations don't put enough of the inhibitor into the system to fix a the hydrogen sulphide, for it require rather elaborate equipment; much more elaborate than was installed in the Iris theater system, for example, he stated.

ENGINEER RAPS SYSTEM

"I wish there were some way the we could eliminate these well-wate systems completely where sulphe water is involved," declared for Gardiner Legg, sanitary engines and secretary of the Detroit Boar of Health.

"The danger features and odo create several problems in connetion with using these "inexpensiv well-water systems where sulphi water is present," he added.

Several years ago the Detro Sewer Maintenance Division lot two men as the result of hydroge sulphide from another theater well-water system, Mr. Legg of vealed. The men were killed in manhole by gas fumes arising from well water discharged by the theater into the sewer, he said.

Stating that his department at the Bureau of Safety Engineers have already started a joint invest gation of all the well-water air conditioning systems in Detroit, M Legg declared that as soon as the studies are completed the Board (Health will probably propose a chordinance to cover this type system.

DI

ORDINANCE PLANNED

H. H. Mills, who is in charge the refrigeration division of the city Department of Buildings and Safe Engineering and is responsible further end of the municipal refrieration and air conditioning consaid, "The investigation so far indicates possible conditions which is me to believe that controlled supervision and inspection of such strength of the supervision and inspection of such strength of the supervision is necessary.

"At present I don't know wheth these systems should come under the regular refrigeration code, or if the should be handled by the head department, but the decision will made following the surveys of oth well-water systems," he said.

As an aftermath of the accidence relatives of the deceased the manager have engaged an attorn who says he will probably file against the theater owners and manufacturer of the equipment involved.

Mitecs BLUEPRINT FOR
PROFIT

United Makes

s theater chide was ween 300 allon, ac

this we ppm. of cu. ft. of the we be om of the water is ams an is readily the print boratoric," adde

RD hows th hydroge

ch an ai inted out ilated the readil ng hydro ve prope

re shoul or use hydroge rned I angerou you ho e adde out' t e pers centratio degree tector s mask e doubte nt appli consi le, whi oitor a sulphi nost su gh of the to fix t requir nt; mu stalled exampl

way the way the well-water sulphulared lengine of the connect sulphulared sulp

Legg n lled in sing from by the

said.

nent a gineer

t invest air cor roit, M

as the Board

se a c

ED

the city

nd Safe

al refri ing cod far ind hich les

ed supe

such sy

wheth

under the or if the heal n will

of oth id. accide

these attorn file s and t

quipme

WALK-IN COOLERS

REACH-INS

DRY-KOOL BOTTLE COOLERS

FARM MILK COOLERS

KOOLMASTER BEER DISPENSERS

DISPLAY CASES

FROZEN FOOD

CABINETS

*
TWO-TEMP WALK-INS

LO-TEMP WALK-INS

Ready for your consideration.....

A selling and merchandising plan that will open new profit opportunities for United distributors and provide the products, promotion and protection by which they can achieve and maintain sales leadership in their markets against the best that competition can offer. Complete details of this plan are graphically presented in a portfolio which you are invited to see at your convenience. You're in for a pleasant surprise!

UNITED REFRIGERATOR MANUFACTURING COMPANY

Sales Division: Saint Paul, Minn.

Export Sales Division, 70 Pine Street, New York 5, N. Y., U.S.A. Factories at Hudson, Wis.; Connellsville, Pa.; Minneapolis & St. Paul, Minn.

Product Planning

Man wanted with wide acquaintance in washing machine manufacturing industry to assist in planning products and to follow-up engineering and other departments in development and manufacturing of such products. Good salary. Will report to president of company. Give complete personal, educational, and employment history in first letter including previous earnings. Box 1765, Air Conditioning & Refrigeration News.



Surveys Spotlight Desired Appliances, What Inu Public Expects To Pay, Where They'll Buy Mar

Six surveys of the postwar appliance market conducted in various sections of the country by reputable organizations are summarized here to assist manufacturers, distributors, and dealers in evaluating various phases of the present and future markets for electrical appliances.

Information was gathered from the following sources: Carolina

its customers; Modern Magazines survey of their readers; Scripps-Howard survey of residents in 13 cities in which its newspapers are published; Equitable Trust Co. survey of Wilmington, Del., territory; The Milwaukee Journal survey of greater Milwaukee; and The Des Moines Register and Tribune survey of Iowa.

Power & Light Co. survey of

They Expect To Pay \$200 For Refrigerator

Of the 2,000 people interviewed in regard to postwar purchases by the Equitable Trust Co. in the Wilmington, Del., area, 551 or 28% stated an intent to purchase a new refrigerator when available.

A point of note in this survey is that the average price expected on a refrigerator was \$196. Only 19% of the replies indicated any resistance to paying this much for a new refrigerator, while 22% of the total chose \$200 as their estimated cost.

Another 22% were apparently willing to pay as much as \$300. And still another 22%, or about one out of every five people, will pay \$500 or more. Majority of these people probably want and expect a separate frozen foods compartment in their new unit, or desire the larger size

Thirty seven per cent of those interviewed indicated washing machines as a postwar purchase, the average estimated cost being \$124.

Little difficulty is indicated in the selling of kitchen ranges in the Wilmington area, since 350 of the 2,000 people expect to purchase a new gas or electric range at an average price of \$130.

Since this average price seems a bit high, especially for gas ranges, further analysis of the replies discloses that 54%, more than half, plan to pay no more than \$100 for their ranges, the next popular figure in this group being \$75. However, 20%, or one out of five, are willing

to pay as high as \$200.

No wholesale redemption of bonds postwar is indicated in the area, since 1,150 people, or 55% those whose replies were analyze plan to pay cash for more than 500

of the cost of their purchases.

The area covered by this surve is perhaps as typical of the country. as a whole as any similar size geographical unit, since it include the city of Wilmington with thousands of office and factory wor ers and also rural New Castle coun with its farms and smaller town states J. B. Jessup, president Equitable Trust.

Survey of 13 Cities Turns Up Buying Facts

73.8% of the homes in 13 cities surveyed as to electrical appliance and home furnishings by the Scripp Howard newspapers were found have mechanical refrigeration, 66.99 of which were electric models at 6.9% gas models.

By and large, southern marke 33%; th have a very high percentage of it boxes still in use, while in S Francisco climatic conditions such that 15.5% of the homes have no refrigeration of any kind, 5.89 have window boxes, and 16.1% has ice boxes. 59.2% of San Francisc families have mechanical refriger tors, 20% of these being owned h the landlord.

In answer to the question concern ing the age of refrigerators now use, 41.4% of the housewives inter viewed said their units had been pu chased within the last five year 58.6% of those interviewed set the age of their present refrigerators more than five years, indicating general replacement market postwa

Place of purchase of present unit subdivided as follows: syndicate mail order purchases, 11.9%; depart ment store, 12.2%; utility company 12%; hardware store, 3.3%; furnitur store, 17.2%; independent appliant store, 23.6%; and other points purchase, 19.8%.

(Concluded on next page)

Refrigerators Way Over Freezers In Carolina

In the Carolina Power & Light Co. area, the demand for electric refrigerators lead other appliance demands with a total of 23,876 prospects, 16,556 of which are replacements of old electric refrigerators, while 7,320 are prospective buyers desiring to replace other types of refrigeration.

Electric ranges were second in demand and numbered 20,387 in toto. 3,578 being replacements, and 16,809 new prospects wishing to replace other fuel type ranges postwar. Washing machines were third with 15,473 postwar prospects.

Prospective electric water heater sales numbered 8,010 which subdivided into 298 replacements and 7,712 new users. 1,625 prospects for electric home freezers were recorded in the survey.



WESTERN THERMAL EQUIPMENT (O.

5141 ANGELES VISTA BLVD.

LOS ANGELES 43, CALIF.

The STOKOL Policy

T WAS NO ACCIDENT that Stokol achieved a top place in the stoker field. Stokol founded their business on giving the American public the best stoker money can buy. The next step was to build a sales organization which would afford dealers and salesmen an opportunity to make a fair profit. Then, Stokol supported these dealers with aggressive advertising to help them sell the product. More than 140,000 satisfied owners testify to the success of this policy.

Now, Stokol is making an even

stronger bid for the huge potential stoker market. With the widest line -the greatest variety of models and range of sizes; with stokers designed for all solid fuels, from lignite of the northwest to anthracite of the east, Stokol is in a position to supply every stoker requirement. Backed by an even more aggressive advertising program—both national and local-and an enviable reputation in the industry, Stokol offers dealers a very sound opportunity tor greater protits. Write today for the details. Stokol Stoker Company, Inc., Indianapolis 7, Indiana.



eadershir

. . is an un-answerable argume

The customer list of Tecumseh Products Company reads like "Who's Who" in Refrigeration. The brand names are "Tops" in the industry. Why this swing to Tecumseh?

The Answer is Four-Fold!

An Outstanding PRODUCT! Hermetic and conventional condensing units and compressors, for all types of equipment, designed on sound engineering principles for long troublefree operation, efficiency and freedom from noise and vibration.

An Efficient PLANT! A distinctive achievement in the application of line production to fine precision tooling, skilled workmanship at lowest cost consistent with highest quality.

A Sound Sales POLICY! No com-3 A Sound Sales Public Propertition with customers.

An Attractive PRICE! The price schedules on Tecumseh Units have always been at least competitive—often low. This has resulted from low costs due to large production on automatic, single purpose tools.

Informati



Regardi hase of efrigerat rere glean

urchases 0.5%; ut another 1.6% C

cripps-H the fan eezer po REEZE ith a me vored its heir freez 5.5% wes

Housewi type of ome ans Ranges ve years urchased

taled 57 WHI artment : 8%; fur

ther type

e remai

wees, 1 Electric andard e mes sur nsiderab ly 28.8% Memph

for Complet

haunusual Facts on Appliance Market Turned Up In Surveys

(Concluded from preceding page) Regarding probable place of puron of we have of customer's next mechanical and in the frigerator, the following statistics or 55% over gleaned: syndicate or mail order analyze urchases, 5.0%; department store, analyze 0.5%; utility company, 13.0%; hardthan 509 are store, 1.7%; furniture store, nis surve 1%; independent appliance store, ne count 16%; others, 5.9%; undecided, ilar size t include

ses.

tle count

er town

esident o

ts

refrigen

owned i

been pu

d set th

erators

licating

postwa

sent un

dicate

6; depar

compar

furnit

applian

points

me

Complet

Home freezing units of one type another are owned only at present y 1.6% of those interviewed in the cripps-Howard survey, while 12.7% the families intend to buy a home reezer postwar.

FREEZER IN REFRIGERATOR?

When asked if they wanted the reezing unit separate or included ith a mechanical refrigerator, 54.0% wored its inclusion, 30.5% preferred 13 citie heir freezer as a separate unit, and appliance 55% were undecided. appliance

Housewives interviewed in regard e Scrippe found t type of cooking range now in the ome answered as follows: those on, 66.99 no owned electric ranges totaled 1%; those possessing gas ranges, 9.3%; those with coal or wood, market 0%; and those employing various ther types numbered 4.6%.

ge of in Sa tions ar Ranges purchased during the last ve years totaled 42.5%, and ranges ind, 5.89 irchased longer than five years ago 3.1% hav staled 57.5% rancisca

WHERE THEY'LL BUY

Range point of purchase by type store as calculated from the comete survey totals as follows: syndite or mail order firms, 5.7%; deartment stores, 13.1%; utility comnies, 13.2%; hardware stores, 8%; furniture stores, 26.2%; indeendent appliance dealers, 8.7%; ther types of stores, 16.8%; and e remaining per cent of interwees, 13.5%, didn't know.

Electric washing machines are andard equipment in 62% of the mes surveyed, but ownership is nsiderably lower in southern marets. For example, in Birmingham nly 28.8% of the families own, and Memphis. 18.4%. Conversely, in ties like Pittsburgh, Cleveland, and present ownership is lumbus.

These findings indicate that retailers in some cities are faced with greater problem of handling trade-in washers in connection with new sales. In Pittsburgh, where present ownership is high, 78% of all families who intend to buy a new washer will offer their old machine in trade.

Replacement demand versus new demand for washers throughout the 13 districts stacks up as follows: 37 families per 100 who now own washers will buy to replace; and 63 families per 100 who are now non-owners intend to buy for the

Magazine Study Lists **Brand Possibilities**

Postwar buying intentions and present ownership of refrigerators by readers of Modern Magazines were recently tabulated by that concern, as follows:

		Present	Expected
Make		use	purchase
Brand	1	. 22.0%	35.1%
Brand	2	. 14.9%	9.8%
Brand	3	. 10.0%	6.5%
Brand	4	. 8.7%	4.7%
Brand	5	. 7.8%	9.8%
Brand	6	. 7.0%	5.9%
Brand	7	. 6.4%	5.9%
Brand	8	. 3.8%	1.8%
Brand	9	. 2.6%	1.7%
All ot	hers	. 16.8%	18.8%
Total		.100.0%	100.0%

	/0
Percent who own	66.1%
Percent who	
expect to buy	26.0%

*Includes those who are undecided.

Brand 4, a refrigerator manufactured by a mail order house concern, showed the greatest decrease in the expected purchase classification as compared to the number of present

How Old Are lowa's Refrigerators?

An investment of \$25,382,150 in 177,312 electric, gas, and ice refrigerators by the people of Iowa was

predicted recently by The Des Moines Register and Tribune in its weekly feature, "Iowa Poll."

26% of those intending to buy electrical appliances after the war name a refrigerator as the item they need most. For city residents, the percentage is 25; for town residents, 22%; and for farm residents, 29%.

The survey further reveals that 373,633 Iowans now own electric refrigerators. When asked to give the approximate age of present appliances, those interviewed answered as follows:

Approximate age in years	Per cent of total	Number of units		
2	4	14,572		
4	23	88,177		
6	22	81,826		
8	22	81,826		
10	17	63,891		
15	10	37,363		
20	2	5,978		
Total	100	373,633		

In answer to the question, "If you could buy appliances tomorrow, would you pay cash, use war bonds, or buy on payments?" the following percentages were obtained:

	Total	City	Town	Farm
Cash	62%	54%	64%	69%
Cash bonds	5	3	4	8
Payments	26	33	29	17
Don't know	7	10	3	6

When these answers are separated according to income groups, present intention to pay cash goes down with income, while the reverse is true concerning instalment buying.

Ben-Hur "Farm and Home" Freezers **Are Quality Built**



YOUR PROFIT AND PRESTIGE!

. A Line Engineered to Give You These **Outstanding Advantages to Feature:** SOUND AND DURABLE Construction - with lasting insula-

tion, properly built in.

2 FULLY LABORATORY TESTED — Under Every Conceivable Operating Condition.

PRACTICAL AND EFFICIENT IN DESIGN — for Conveniently

Accessible Food Storage.
ENGINEERED AND PERFECTED by Foremost Refrigeration Experts. Built for Long-lasting, Trouble-Free Operation.
A COMPLETE LINE OF SIZES—to Meet the Needs of Every

BEN-HUR MFG. CO.


324 E. Keefe Avenue Milwaukee 12, Wisconsin
Continuous Manufacturing For Over 33 Years.

With quality features builtin and long years of sound
manufacturing experience
to back them up, you con
be sure, that your profits
and your prestige will grow
with every "BEN-HUR"
Farm and Home Freezer you
sell. Your customers will
be satisfied.


Write today for "BEN-HUR"
Distributorships or Dealerships now being appointed.

FARM & HOME FREEZERS

HOW BUNDYWELD SCORES ON ACTUAL STRENGTH TESTS



(1) ULTIMATE bursting strength (1/4" x .028" annealed) of 12,500 lbs. per square inch.



(2) UNUSUALLY high fatigue strength . . . especially recommended for use where vibration occurs.

Service Engineers Should Know ..

THE PURITY OF "VIRGINIA" SULFUR DIOXIDE IS CAREFULLY GUARDED

- the content of each cylinder - large or small — is analyzed 2 separate times.



1. CLEANLINESS TEST

A measured sample drawn from each container must be water-white in color and when boiled to dryness must leave no dirt, oil or other residue. This test detects undesirable impurities.



2. MOISTURE TEST

A sample of known weight from each cylinder is passed through P2O3 (a dessicant). Moisture calculated by the increased weight of the tube must not exceed 50 parts per million; low moisture prevents freeze-ups and oil-sludging.

EXTRA PRECAUTIONS

To prevent any possible contamination of "Extra Dry Esotoo" every cylinder is dry cleaned and finally rinsed with pure SO, before filling.

Each cylinder valve is inspected and reserviced to assure trouble-free operation - this saves time and money for the service engineer.

The name "EXTRA DRY ESOTOO" on the cylinder is your guarantee of quality. Sold by refrigeration supply jobbers everywhere.



WEST NORFOLK, VA. 6 BEAVER ST., NEW YORK 5 : 131 STATE ST., BOSTON gents for Kinetic's "Freon - 12" - "Freon - 22" - "Freon - 1

HOW BUNDYWELD IS MADE



by a process entirely differen from that used in making other tubing. A single strip of copper-coated S.A.E. 1010 steel is continuously rolled twice laterally...

uniform thickness and concentricity are assured by the use of close tolerance cold rolled strip. This double rolled strip passes through a furnace where the . . .



3 . . copper coating fuses and alloys with the double steel walls. After brazing and cooling, it becomes a solid double wall steel tube, copper brazed throughout 360° of wall contact . .

out, free from scale and closely held to dimensions. Hard to 3/8" O.D. Special sizes cold drawn. Also furnished in Monel.

For further information, write Bundy Tubing Co., Detroit 13, Michigan



(3) ULTIMATE tensile strength (annealed) 45,000 to 52,000 P.S.I. - yield strength, 30,000 to 36,000 P.S.I. -- per cent elongation in 2"-30% to 40%.



(4) HARDNESS — Rockwell (30T — scale) 43 - 50.

BUNDY TUBING DISTRIBUTORS AND REPRESENTATIVES:-

Pacific Metals Company, Ltd. 3100 19th' Street San Francisco 10, California

Standard Tube Sales Corp.

Lapham-Hickey Company 3333 W. 47th Place Chicago 32, Illinois

Rutan & Company 112 South 16th Street Indelphia 2, Pennsylve

Eagle Metals Company 3628 East Marginal Way Seattle 4, Washington

Inside Dope

By George F. Taubeneck

(Concluded from Page 1, Column 1) lets. The Avco group is dynamic and ably managed, and is certain to be a major factor in the postwar market for household appliances. Crosley employes and its distributors and dealers will benefit from the associa-

Mr. Crosley has written a letter to all minority stockholders of the Crosley Corp., advising them of the sale, and recommending their acceptance of the same offer to purchase their stock-which he has accepted-and which will be extended to them by Avco if the sale is approved by the

Big Men Needed

Avco has been feeling its way toward entrance into the lush household appliance business for almost two years. Its moves have had the indus-

try puzzled, up to now, because they have veered off in so many directions. But now, most industry sages agree, they have come up with the correct solution.

They have the men.

Avco's Topshots

Any firm, no matter how mighty, must command the services of executives with "know-how." When you're starting a-fresh in a new industry, you can sometimes make fantastic salary offers to such executives and still not be able to proselyte them.

Well, Avco has them now. Ray Crosgrove has quietly assembled, with the aid of Jim Rasmussen, a most competent, seasoned, and talented executive staff. They're all Avco's as of this writing. And they're undoubtedly worth the terrific price paid for the company.

But how about the top thinkers and planners connected with Avco, itself? Well, we have some reports for you.

With the recent acquisition of the Crosley Corp. by Avco, Irving B. Babcock, president of Avco, faces one of the biggest industrial management jobs in America.

It will be Babcock's task to direct the activities of the highly diversified and (now) augmented Avco industries, which stretch from the manufacture of ships and planes to refrigerators and radios.

Babcock, who literally "started at the bottom and worked to the top,' will be "The Chief" to thousands of employes in nearly a score of communities throughout the country.

As a former office boy, timekeeper, draftsman, and departmental worker, he will have much in common with the rank-and-file employes with whom he is working in an effort to create a great, prosperous postwar enterprise.

The new president of Avco left a hard-won vice presidency at General Motors, and a place on GM's administrative committee, last February to undertake the direction of the vast

industrial properties of Avco and many of its associated companies.

In addition to his presidency of Avco, Mr. Babcock is chairman of Consolidated Vultee Aircraft Corp. (maker of the war-famed Liberator bomber and many other plane models) and chairman of American Central Mfg. Corp.

Mr. Babcock was born in Milwaukee. He attended public schools there and in Chicago.

He had planned to go to college, but was forced by economic necessity, instead, to find a job.

While serving first as office boythen timekeeper, draftsman, and stockroom clerk in the offices of the Liquid Carbonic Co. of Chicago, he attended night courses in law at De Paul university, from which he graduated in 1916 with a degree of bachelor of laws.

A scholarship proferred by this university gave him a postgraduate course in higher accounting and business management.

In the same year, he became assistant superintendent of the Liquid Carbonic factory. (Thus he has a background in the refrigeration industry.)

Shortly after completing school,

Mr. Babcock became identified with the growing automotive industry. H joined the Root and Van Dervoo Engineering Co. (an automobile er gine manufacturing company) comptroller.

Henr

caiser

Vest Co

oration

nunities"

ndition

Mr. Ka orporation and three

ttractive

rice tha

These

represen

Kaiser C

on capit

on will

r home

cessary

ared con

igns, est

ecificati nstructi

the pub

Land h

or the fi

bast con

ording to

ear. Pa

s to devel

ave an a

ecreation lental clir

The original

· DIS

· CO

• REI

• HO

FILTRIN

REPR

A perms

cellent f

Large 1

turer is

sentative

refrigera

and sel tional) w

cabinets,

and food ers, refr and bake

Territor Eansas,

Worth 1

the right

Apply g and train

held stric

SE

AIR I

REFRI

handle

enter.

Under

In 1920, he entered the John Hertz organization in Chicago comptroller and, later, treasurer.

He went with General Motors when that firm purchased the Yellow Ca Co. in 1925—becoming president of that concern 10 years later.

When Mr. Babcock joined Avco on Dec. 28, 1944, he resigned as president of the Yellow Truck & Coac Mfg. Co., and as vice president of General Motors.

Mr. Babcock's war activities in clude directorships in the Automotive he count Council for War Production, Motor Truck Industry Advisory Committee which the with Frit permanen Bus Manufacturing Industry Advis. ory Committee, and the Automotive Farm and Tractor Liquid Cooled Engine Industry Advisory Committee National rs. The

He is 53, married, and the father of three children.

Victor Emanuel

Victor Emanuel, chairman of the board, of the Aviation Corp., believes in meeting economic emergencies

Instead of accepting war production cut-backs as an inevitable end to large scale operations of his company, he has planned a diversification program for Avco with a view toward retaining the highest possible postwar employment and business volume,

As one of America's acknowledged leaders in developing America's strength in the air, Mr. Emanuel believes that some part of the enormous productive capacity of the aviation industry can be made to create pros perity in peacetime.

Mr. Emanuel's interest in aviation began when he served in the U. 8 Navy Flying Corps during the Fir World War.

Later, with a group of associates he purchased a controlling interest in the Cord Corp., which led to the amalgamation of several firms spe cializing in transportation into The Aviation Corp., in 1941.

During 1944, The Aviation Corp and associated companies delivered Uncle Sam \$1,233,000,000 worth war products-ranging from four engine bombers, other airplane types cruisers, aircraft carriers, aircraft engines, propeller blades, jeep and truck sections, and "secret" special ized war materials.

Mr. Emanuel was born in Dayton where he attended public schools and St. Mary's College (which is now the University of Dayton). He al studied at Cornell University.

He is a university trustee of bo

Dayton and Cornell. He is 47, married, and the fath of two children-the elder of who serving as a lieutenant in th U. S. Army.

He strongly believes that organize labor, agriculture, and industry mu work together in close unison if the are to retain the obvious benefits the American way of life after the

war. An interesting portion of his busi ness philosophy is summed up in hi 1944 annual report to Avco stockhold ers, which reads:

"Certainly only by statesmanlike and realistic approaches to the eco nomic problems confronting us cal the nation hope to meet postwal problems of reconversion and em ployment.

"In the belief that enterprise America will be allowed to live a breathe after the war, The Aviation Corp.'s manufacturing units, at those of its associated companies, are drafting programs which—we hopewill allow them to function progres sively when victory is won.'



ONSERVED

Refrigeration today is performing a vital service by guarding and preserving for future use, priceless food which might other wise be wasted. Write for literature

GENERAL REFRIGERATION DIVISION



NOTICE! IMMEDIATE DELIVERY NEW LOW PRICES JOBBERS and DEALERS! Handle the money-making AMCOIL line in your area. Write today for details of our A RARE COMBINATION your area. Write today for delans a few attractive line of cooling units—a few The highest quality at Lowest prices localities are still open to qualified jobbers. Improved manufacturing methods and automatic machinery have enabled us to reduce prices on all Amcoil units. Prices effective as of April 1, 1945 and supersede all previous lists. They are subject to change without notice. COMPARE OUR QUALITY - DESIGN - NEW INVENTIONS - IMMEDIATE DELIVERY

FOOD CONDITIONER COOLING UNIT



Automatically preserves foods without dehydration. Temperatures from 36° to 40° F. For reach-in and walk-in coolers.

MODEL	BTU/HR 15°	MTD	LIST PRICE	
RIF 38	4,600		\$270.00	
RIF 43	5,500		283.00	
OCF 56	6,500		290.00	
OCF 82	9,200		325.00	
OCF 126	13,000		550.00	
OCF 166	19,500		590.00	
FC 50	7,500		333.00	
FC 80	11,300		378.00	
PC 130	17,000		601.00	
	,		4 49 00	

ALSERVICE OPEN FACE UNIT

For efficient cooling and serves as a general utility unit in preserving foods where a forced draft cooling unit is required. Streamlined, in attractive grey and black colors, it produces temperatures down to 36° F.

MODEL	BTU/HR 15° MT	D LIST PRICE
OC 44	4,000	\$120.00
OC 48	5,100	148.00
OC 58	7,500	161.00
OC 84	11,000	210,00
OC 128	15,500	322.00
OC 168	23,000	370.00

A compact cooling unit for all utility

refrigeration applications. Designed to

meet a growing demand for medium

ZERO-BREEZE LOW TEMP UNIT

A low temperature unit equipped with automatic electric defrost . . . wallmounted model . . . produces tempera-tures from +20° F. to -20° F. . . . defrosts automatically on each off-cycle of condensing unit.

MODEL	BTU/HR 10° A	ATD LIST PRICE
RZB 60	3,900	\$325.00
ŽB 120	7,250	425.00
ZB 150	11,000	615:00
ZB 180	14,500	655.00

ALSERVICE REACH-IN PANEL UNIT



75-77 LEXINGTON STREET - NEWADE, 5 H. J

Cable Address - AMCOIL



ALSERVICE DOWN-DRAFT UNIT

An efficient, down-draft cooling unit employing new ideas in refrigeration. ... May be converted to controlled humidity Food Conditioner by adding the control assembly package.

MODEL	BTU/HR 15°	MTD	LIST	PRICE	
UC 63	8,000		\$21	1.00	
UC 100	12,500		26	1.00	
UC 123	17,500		47	7.00	
UC 200	24,000		51	7.00	

MANUFACTURER'S REPRESENTATIVES

John J. Madden, 212 Madison St., Dedham, Mass.
J. E. Oliphant & Co., 505 Uhler Bidg., Marion, Ohio
Richard Barthelmess Sales Co., 1711 Challen Ave., Jacksonville, Fla.
F. M. Eversden & Associates, 220 So. 16th St., Philadelphia 2, Pa.
Jardy Engineering Co., Inc., 813 Howard Ave., New Orleans 13, La.
P. J. Burrill, 800 North Clark St., Chicago, Ill.
Robbins-Greenwood Co., 3104 Main St., Houston 4, Texas
The Mac Silver Co., 114 No. Sweetzer Ave., Los Angeles 36, Calif.

William D. Keefe, Chaffee, N. Y.

KEEP THIS ILLUSTRATED PRICE LIST

stry. Henry Kaiser's 'Mass Produced' Homes Will Have 'Factory Fabricated' Utility Center

SAN FRANCISCO - Henry J. gaiser, wizard shipbuilder of the West Coast, has formed a new cororation to build "complete comnunities" of "mass produced" air onditioned homes.

John r

cago a

ors when

llow Cab

& Coach

sident of

believe

ergencies

produc-

able end

v toward

unuel be-

normou aviation

ate pros

aviatio ne U.

he Firs sociate

terest i

to th ms spe-

nto Th

on Com

ivered

vorth

m fou ne type aircra special

Dayton

ools an

now th

e fathe

in th

rganized

ry mus n if the nefits fter th

his bus

ip in h

ockholo

smanlik

the eco

postwa

and en

prise live an

Aviation ts, and nies, are

e hope-

progres

BE

D

a vital ring for at other-ure

VISION

surer.

Mr. Kaiser declared that the new as press corporation expected to put up two & Coach and three bedroom homes on large, ttractively landscaped lots at a rice that would be under \$5,000.

tomotive to the country under contract with the faiser Community Homes Corp., in which the shipbuilder is associated with Fritz B. Burns of Los Angeles, ermanent honorary president of the These homes are to be built by Cooled permanent honorary president of the vational Association of Home Buildmn ittee ers. The company will have \$5 mil-ion capital, it was said.

Under the program, the corporaion will acquire land and develop it or homesite layouts, obtain the ecessary materials and manufacured components, provide all deigns, establish and maintain rigid ® pecifications and high standards of onstruction, and market the homes to the public.

Land has already been purchased nis come or the first 10,000 homes in West mast communities, and these, acording to plans, will be built this year. Part of the company's plan s to develop communities that would owledged have an average of 500 homes, with merica's ecreation facilities, medical and ental clinic, school, and commercial

The original announcement of the

• DISPLAY CASES

• REFRIGERATORS

• HOME FREEZERS

AMANA SOCIETY

AMANA, IOWA

WATER COOLERS

For MESS HALLS . HOSPITALS . PLANTS

FILTRINE MANUFACTURING CO.

PACKAGED Remote and **Cabinet Models** Capacity 88 gals.

in 2 hour period

For all applications

Write for Details

• COOLERS

MODERN

plan did not specify how complete the "air conditioning" would be. It was said that the solar principle of heating would be used where adaptable, and that, at an extra cost of around \$150, electronic air cleaners would be provided "to kill germs and eliminate hay fever pollen.'

It was further said that although the homes are not to be "prefabricated," two of the rooms, the kitchen and the bathroom, would be built as units at a factory and shipped to the building site.

The kitchen will have a hydraulic dishwasher, and the bathroom with a turret-type rotating shower.

(Officials of Kaiser Community Homes told AIR CONDITIONING & REFRIGERATION NEWS that no more information on the exact nature of the equipment to be installed would be given out until the first projects are actually started. They would not comment on rumors that some

of the leading appliance manufacturers might fabricate the utility centers for the Kaiser homes.)

Mr. Burns said that the down payment on the houses will be \$100 to \$200 a month, and total carrying charges less than \$30 a month. It is further planned to include health insurance in the charges.

Declaring that the country would need 2 million new dwelling units in the years immediately after the war, Mr. Kaiser said that he believed home building can do more than the automobile for the postwar economy of the country, and declared that 20% of the total employment might be in home building and allied industries.

When Mr. Burns pointed out that the steel frames for a house could be put up in an hour on somewhat of an "erector set" basis, the question was naturally put as to whether the man who set speed records in building ships expected to erect a house in a day.

Mr. Burns answered this question by saying that it will take 45 days to build the houses, to which Mr. Kaiser remarked-

"He's conservative."

Brewer-Titchner Co. Produces Home Freezers For Distribution Through Parts Jobbing Firms

Will Be Furnished With or Without Condensing Unit

BINGHAMTON, N. Y .- Introduction of a three-model line of chesttype home and farm freezers to be distributed through refrigeration parts jobbers has been announced by C. H. Beane, chief engineer, refrigeration division, Brewer-Titchner Co.

Containing both storage space and a sharp freeze compartment, the freezer line will be available in three sizes--121/2 cu. ft., 18 cu. ft., and 23 cu. ft-with prices starting above \$600 for the smallest unit, Mr. Beane said.

The 12½-cu. ft. model has 10 cu. ft. of storage space to be held at 0° F., and 21/2 cu. ft. of freezer space held at -10° F. Temperature control is taken off the freezer compartment to insure a constant -10° F. during food processing, the company says.

There are three doors on the 121/2cu. ft. model, one for the freezer, and two for the storage compartment, the doors being fitted with latches which can be padlocked.

Cabinets have a metalized finish and will be powered by Kelvinator condensing units of 1/4, 1/3, or 1/2-hp. capacity, unless the jobber desires to install a condensing unit of his own selection.

Condensing units are mounted on a slide-out frame beneath the sharp freeze compartment, making for easy installation and servicing, the company claims. A removable side panel on the cabinet exposes the expansion valve and heat exchanger.

Seven parts jobbers have already signed up as distributors for the freezer line, the company reports, with the plan of wholesaling the freezers to service men and dealers. Jobbers will not be responsible for service under this arrangement, explains the company.



Year after year powerful "FREON" advertising campaigns appear in leading publications read by architects, engineers, food manufacturers, locker plant operators, business executives, store owners and the general public. These campaigns do an important job of selling

In TIME—the weekly news-magazine-"FREON" advertising reaches more than 2 million men and women in all kinds of businesses and in-

In ARCHITECTURAL FORUM, AR-CHITECTURAL RECORD and PENCIL POINTS, another "FREON" campaign features air conditioning installations in buildings that have been planned for the future. These messages provide architects and engineers with ammunition to sell modern systems to their own clients.

In FOOD INDUSTRIES—a leading periodical catering to food manufacturers - more "FREON" advertising stresses the benefits and value of air conditioning and refrigerating systems to many different types of food

In QUICK FROZEN FOODS, a series of "FREON" advertisements shows outstanding locker plants in various sections of the country. Operators are being made conscious of the advantages of modern equipment and "FREON" refrigerants.

All this advertising is aimed at helping to sell more air conditioning and refrigeration . . . it's helping to build business for you. For complete information about "FREON" safe refrigerants, write: Kinetic Chemicals, Inc., Tenth and Market Streets, Wilmington, Delaware.

SAVE WASTE PAPER-VITAL TO WAR



Today "Freon" safe refrigerants are again

available for comfort cooling and other uses. Systems which have been temporar-

ily using wartime substitutes may now be

reconverted to "Freon" safe refrigerants.

"FREON" now

available

TERRITORY

A permanent position with excellent future is available now. Large Los Angeles manufacturer is seeking territory representative to set up dealers to commercial sales of refrigerator line such as display and self-service cases, (sectional) walk-in coolers, reach-in cabinets, full soda fountain line and food units, beverage coolrefrigerated candy cases and bakery cases.

Territory open: Nebraska, Ensas, Colorado, Missouri.

Worth while proposition for the right man

- 0 Apply giving full references, background, history, experience and training in detail. Reply held strictly confidential.

SEND REPLY TO BOX NO. 1748 AIR CONDITIONING & REFRIGERATION NEWS FREON safe refrigerants

"Freon" is Kinetic's registered trade mark for its fluorine refrigerants.

WANTED

REFRIGERATION PRODUCTION EXPERTS

Leading manufacturer of refrigeration and air conditioning heat exchanger equipment needs several men versatile in handling the engineering, design, and assembly of refrigeration products. Write, giving age, experience, and salary expected. Our employes know of this ad. Box 1752, Air Conditioning & Refrigeration News.





DAYTON, Ohio-Approval of a special pricing formula has been granted by OPA to Frigidaire Division, General Motors Corp., to establish prices for sales to distributors, dealers, and consumers.

Items affected include parts and sub-assemblies for which maximum previously prices had not established, and parts and subassemblies which were not heretofore available to distributors, dealers, and consumers as parts and subassemblies, OPA announced.

The pricing formula, which OPA has not revealed, was outlined in a letter to OPA from Frigidaire dated March 12, 1945, on file with the Building Materials Price Branch, OPA, Washington, D. C.

Frigidaire is required to notify its distributors and dealers of the price ceilings, and to report its maximum prices in dollars and cents as derived from the formula to OPA within 30 days of computing said prices.

Rumpsa To Direct Purchases For Young

RACINE, Wis.-J. A. Rumpsa has been appointed director of purchases for the Young Radiator Co.

Mr. Rumpsa completed an academic course at DePaul, Chicago, and later accepted the position of assistant purchasing agent for the Illinois Malleable Iron Co. After moving to California to go into business for himself, in 1929 he joined the staff of the purchasing department of the Caterpillar Tractor Co.

San Diego Dealers Reveal Worry and Maj Confusion Over Terms, Builder Sales Point

SAN DIEGO, Calif.-Members of the West Coast Bureau of Radio and Electrical Appliances heard discussions of term selling of appliances, 25-year FHA appliance financing, and the television outlook postwar at their annual spring conference held here last month.

"I see great advantage in the protection afforded by Regulation W, and I hope that this type of credit control will be continued for a time, at least," said Charles R. Goff, vice president and treasurer of the Walker-Scott Corp., in his presenta-tion of the general problem of future appliance financing.

Selling on terms, so commonplace before the war, is a problem that can be controlled by proper training of sales personnel, he continued. Recognizing a need for flexible term arrangements, Mr. Goff felt, however, that in the past much better terms could have been sold, had the salesman used greater finesse and judgment.

He also expressed the belief that competition could be financing offered by certain war-rich persons who might turn to the appliance financing field as a means of employing their capital. However, dealers, Mr. Goff concluded, would do well to remain with established agencies for the financing of consumer paper.

"Banks will be in the field aggressively competing for dealer appliance paper throughout the nation," said Andy Borthwick of the First National Bank in his talk on appliance financing. "On the Pacific Coast, particularly in southern California," he added, "this type of service will be available to dealers everywhere, no matter how small. their communities.'

Mr. Borthwick predicted a rate of not more than 5% as against the uniform prewar rate of 6% for standard dealer appliance paper. In his opinion, the keen competition bound to develop between banks and financing organizations

would provide a more attractive type filtrin of service to the dealer.

Manufacturers and their repre In Ma sentatives, with but a couple of e ceptions, were unable to declare ju where they stood in regard to th . Hans point of whether they might se appliances direct to speculative builders. The question was raise Major World W during a two man discussion of the proposal that major appliances Marine (included in 25 year FHA mortgage by Paul Du Pont of Walkers ar Gordon McNary, San Diego Trust Savings Bank officer.

sk as p

He go

An old

ake a se

okups l

The Va

matche

rants th

embled omething

eration r

inder the

and humic

he Major

Makeshift

There v

opper tu

ectors ar

any unit

liately dis

f the ver

ve minut keleton c

Operation

istently

machin

lefrigerat

ndicapp

ith com

eant to weating

Excessiv re imp

An

to

for

gro hou

dus

duc

eve

bec

refr

tion

AN

AGENTS

othing

Guadalca It was decided that there should ate to g be no valid objection to the idea of qualified home builders and pur chasers obtaining appliances as par Bouganvi of the original cost of the house, bu March 1 that the proposal constituted a direc ers squa threat to established retail dealer Wing. F through possible large scale sale appliances by the manufacturer d rect to the builder.

Just what course manufacturer and the industry in general shoul take in relation to the promotion television postwar was the subject discussed by Dr. Lee de Forest, note scientist in the radionic field.

While Dr. de Forest agreed wit most experts that, despite certain economic drawbacks, a tremendou popularity for television can be ex pected, he disagreed with the ger erally accepted viewpoint that publi purchase of "good television n ceivers" will be in a volume sufficien to warrant the broadcasting of sui able programs, since the purchas price will be impractical for million

"If we are to avoid the wholesa acquisition of cheap receivers which would give unsatisfactory perform ance and thus retard the industr it will be necessary for deale under some form of subsidy manufacturers, to merchandise goo receivers on a rental basis," declare Dr. de Forest.

Television sets having enough screens to eliminate fatigue will retail at \$250, prophesied.

Associated Distributors Formed In Indianapolis

INDIANAPOLIS-Associated Distributors, a new appliance distributorship for central Indiana and eastern Illinois, dealing in wholesale major and traffic building appliances, has been opened with head-quarters at 211 South Illinois St. here, according to Harley Litteral, general manager.

Department managers of the new concern include: Don Delbrook, appliance sales; J. H. Kerchhoff, service; Carl "Bud" Harper, record; and Robert P. Purves, accounting.

At present, the company is exclusive RCA Victor distributor for 41 handling counties, RCA Victor radios, phonograph combinations, tubes. parts, Victor and Bluebird records, and accessories; and is a franchise distributor for Proctor Electric Co., as well as Freez-all Home Freezer cabinets and Cadillac vacuum cleaners.

isted Dist cover the complete appliance field.

Begy Establishes Own Company In Buffalo

BUFFALO-T. Philip Begy, w recently resigned as the local factor representative of General Elect Co., has formed Mutual Applian Distributors here to distribute el trical appliances. A building 122 Clinton St. has been purcha to house offices, sample rooms, warehouse.

The firm now has franchises Majestic radios and records, L. & H. gas and electric ranges, a expects to add other lines.

Woolwerth Joins Staff of Viking Air Conditioning

CLEVELAND - Mark M. Woo werth has been appointed to the advertising and sales promotion d partment of Viking Air Conditioning Corp. here, president Marion I. Lev recently announced.

Mr. Woolwerth was formerly col





For Aircraft Rudios

and Maj. Hansel Found Refrigeration McQuay Outlines les Doing Many Jobs in Pacific Area Plans on Products

ctive typ filtrine President, Returning From Duty ir represent Marine Corps, Tells of Problems

pole of exclare justoclare justoc

He got into overseas action at re shoul guadalcanal in July, 1943—but too the idea of the to get his teeth into anything, and pur But he was in on the invasions of and pur But he was in on the invasions or sand pur But he was in on the invasions or souganville (Nov. 1), Green Island house, but feb. 15, 1944), and Emerau March 15), as CO of the headquarters squadron of the 1st Marine Air lessale of wing. He returned to civilian life exturer destates a few days ago, on June 5.

An oldtimer in the refrigeration afacturer industry, the Major would always al shoul take a second look at refrigeration motion o 100kups he saw in the South Pacific. e subjec est, note The variety of different makes, mmatched parts, and varying refrigerants that found themselves asreed wit embled into a working unit was e certai omething to see, he says. Refrigemendou gration maintenance men working n be ex the ger under the terrific conditions of hear the ger and humidity deserved special medals, he Major believes. They had to be sision resufficient sufficient fakeshift.

There was an eternal shortage of the purchas opport tubing, he recalls, with consequences. under the terrific conditions of heat

ld.

wholesa

ers which

industry

bsidy b

3

\$250,

)wn

gy, whal factor

Electri ppliane ute ele lding a oms, a

rds, iges, a

. W00

to th otion d

ditionin

I. Lev

erly co

E

6

dealer

million ectors and couplings at a premium. any unit that broke down was immeperform diately discussed by a court martial. If the verdict was "Not fixable," in five minutes the unit would be picked skeleton clean of every copper piece.

Operating conditions were condise goo declare istently grueling for even the best of machinery, the Major points out. larg Refrigeration systems were especially nate ey andicapped, equipped as they were with compressors that were never meant to work against temperatures sweating steadily over the 100° F.

> Excessive wear and breakdown were impossible to prevent. The

problem became one of just keeping the units running from one day to the next.

Both gas and electric units were in evidence, he reports. Gas units most often in the advance positions, the big electric units following as soon as generators and power lines could be set up. And every once in a while he'd run into a familiar household box sitting under a palmthatched roof, holding a case of beer.

Water coolers, an item right up the Major's alley, he found used in film developers, in making bakery dough, and in local setups for bottling beverages.

On that last angle, he mentions, the high point of the Guadal campaign as far as the GI's were concerned was the capture of the Japs' ice plant there. The doughboys never forget what they're fighting for at home, the Major says soberly, but when a fighting man is able to push back his helmet with one hand and lift a cold glass of suds with the other, he remembers it that much more distinctly.

Water to be mixed into baker's dough had to be held down to 34° F. or the bread would start to rise before it hit the ovens, he states. That was a tough assignment all around, leaving almost no time at all for mixing it in. Not only working at top speed, but dipping your mitts into ice water while the rest of you is sending off 212° steam confuses the sternothermal. Naturally!

Upon his return to civilian life, the Major found his own company doing considerably more capacity work than before the war. Postwar directions will move especially toward low-temperature packaged units, he

They have substantial background experience to work from. Filtrine was incorporated in 1905, and as far as the Major knows, they were the first to apply electric refrigeration to water coolers for offices, theaters, and cafes. That was about 1925.

MINNEAPOLIS — Postwar plans as revealed by McQuay, Inc. include the manufacture of the same type of heat transfer units, unit coolers, and air conditioning coils produced before the war. The company expects a large export market for small heat transfer units operating at 9750 B.t.u. per hour.

Also to be manufactured are ice makers, refrigeration coils, and cooling units for reach-ins, as well as the Icy-flo accumulator unit which the company introduced just prewar, for use in installations requiring inconstant but peak-load air conditioning.

Because of increased space requirements, the company has recently converted the warehouse across the street from the main building into a second plant. Here are located additional offices, as well as production and assembly lines for military manufacture.

Executives of the company revealed that some civilian orders are now being filled, largely under priority, but that many unrated orders are being received.

The company could be in full production under six months, after WPB limitations are cancelled, they said. Some regular products will be produced by June.

Among war-production items manufactured at McQuay were the auxiliary gas drums installed in the planes used in Gen. Doolittle's bombing raid on Tokyo early in the war.

SERVICE SIMPLIFIED GREATER SATISFACTION LONGER OPERATIVE LIFE



tion most efficiently. These oil separators are made for jobs from ½ H.P. to 120 tons and are used everywhere, ashore or afloat, where efficient refrigeration is desired.

Full descriptive bulletins on request.

AMERICAN INJECTOR 1481 Fourteenth Avenue **DETROIT 16, MICHIGAN**

Van D. Clothier, 1015 E. 16th St., Los Angeles, Calif. George I. Boone, 739 G. M. Bldg., 1775 Broadway, New York 19, N. Y. William H. Cody, 2nd Unit, 10th Floor, Santa Fe Bldg., Dallas, Texas Export: Borg-Warner International Corp., 310 S. Michigan Ave., Chicago, Ill.

HOW TO CHANGE VALVE CAPACITY
ON THE JOB. .. IN TEN SECONDS! If you want to alter the capacity of an Alco "TK" THERMO Valve—just screw the little discharge tube into the outlet ... presto! No special tools needed. Only one size valve instead of three to carry in stock —and to the job. An Alco "TK" Valve is actually three valves in one. See your Alco jobber. NOMINAL CAPACITY IN TONS "FREON-12" METHYL CHLORIDE 1.15 VARIATIONS 2.30 .50 1. Without tube25 1.00 2. With "O" tube ... Their simple construction assures longer trouble-free 3. With "OO" tube service • Fewer parts • Atomic-welded diaphragm-THREE IN OHE no leaks • Extra-large built-in strainer. ALCO VALVE CO. 853 KINGSLAND AVE. . ST. LOUIS 5, MO.



Ansul was first in America to produce Sulfur Dioxide for refrigeration (1915).

At the demand of the growing fractional-tonnage household refrigeration industry, Ansul began production of Methyl Chloride.

ANSUL

LIQUID

Ansul still analyzes individually every cylinder before it is shipped because—

The purity, dryness, and safety of handling of Ansul refrigerants are still top standards of a high-specification industry which Ansul is proud to have pioneered.

ANSUL COMPANY

MARINETTE, WISCONSIN

AGENTS FOR KINETIC'S "FREON-11," "FREON-12" AND "FREON-22"

'Store on Wheels' Would Merchandise Appliances as Well as Groceries

SAN FRANCISCO - "Store to Door on Wheels," a method of food retailing that will place a mobile grocery store within a block of every residence, is planned here by Associated Food Distributors, Inc., according to George L. Riccomi, president.

The vehicles that would be used would contain two refrigerated storage compartments, one for normal refrigerator storage and one for low temperature storage.

Under this new food distribution system, a fleet of 60-foot streamlined mobile "stores" will radiate from strategically located district stores, covering entire residential areas three times a week.

PLAN OF SELLING

Manned by a crew of nine, the traveling grocery store will park at an intersection while eight salesmen, each equipped with a rubber-tired conveyor, will cover the district, delivering food staples such as bread, butter, eggs, and milk directly from the stock of his conveyor.

Salesmen will also take orders for other food items which will be flashed back via short-wave radio to the "store on wheels." Orders will be filled from stocks of fresh, frozen, and packaged foods, and delivery will be made immediately by motorcycle to the waiting salesman.

Current plans of Associated Food Distributors also include the distribution of household appliances such as refrigerators, freezing units, electric stoves, radios, and washing machines. Orders for these items will be taken by the store-to-door salesmen. Dry cleaning and laundry will also be picked up and delivered.

The store-to-door truck carries the conveyors, and is divided into four compartments — refrigerator, frozen foods, vegetables, and grocery shelves. The trailer has four compartments—one for storage, one for special orders, and one each for dry cleaning and laundry.

Based on associated ownership, all employes will own stock in the companies. As the system expands, Mr. Riccomi predicts, it will provide more and more business opportunities for returning veterans and enables them to set up in business for themselves.

EXPECT WAR VETERANS

It is estimated that 75% of the members will be discharged veterans who will use the loans they are entitled to under the G.I. Bill of Rights to buy partnerships in the enterprise. The remaining 25% of active personnel will be made up of former independent operators and others.

A national truck organization, after studying this plan, offered to furnish the trucking equipment complete on a mileage basis, promoters say.

Mr. Riccomi points out that the enterprise is not a postwar proposition, since the initial operation will get under way in the San Francisco Bay area as soon as equipment is

New Method Improves Frozen Orange Juice

NEW YORK CITY-Tins holding six ounces of condensed, quickfrozen orange juice are being sold by Carl E. Seaburgh, head of three Westchester County shopsthe Frostar Frozen Food Centers.

When mixed with the right proportions of water, the six ounces provide 24 ounces of ordinary juice. On the basis of the present cost-45 cents for a tin of the concentratea four ounce serving comes to about 71/2 cents.

The process followed in condensing and freezing is one worked out by the Florida Citrus Commission, according to Mr. Seaburgh. Although much research has been done on the development of the method, the Frostar stores, which are entirely devoted to frozen products, are the only ones in the country as yet to offer the concentrate at retail.

Tree-ripened fruits are used, and tests by the Florida Experiment Station show that even after 22 months the juice, when kept at a zero temperature, retains 85% of its original vitamins and shows no loss in flavor or color.

Mr. Seaburgh's establishment in White Plains claims to be the first successful one in the country to sell nothing but frozen products. The shops, which normally carry 70 different items, are considered by many merchandisers to be forerunners of a kind of retail outlet that is expected to become more common.

Most consumers will have to be educated to the appreciation of the virtues and advantages of quickfreezing, Mr. Seaburgh declares.

G-E's Movie Promotes Better Freezing Methods

CINCINNATI - "How to produce good results with garden vegetables and meats" was the keynote of a series of meetings recently held by the Cincinnati General Electric Appliance Distributing Branch according to Paul C. Wilmore, manager.

The Cincinnati Premiere of "Frozen Foods," General Electric's new colored motion picture was held June 14, at the Cincinnati Gas & Electric Auditorium. Operators of Co.'s locker plants were in attendance, as well as interested public utility executives. Home Economic heads of the Cincinnati and Miami Universities, and the Cincinnati public schools, plus leading Cincinnati G.E. merchandisers.

General Electric produced the film, "Frozen Foods" primarily for consumer use . . . to show the process necessary to produce good results with home freezers. The point "not to oversell the care of processing frozen foods" was made. This was done objectively to lay the ground work with interested organizations.

New Frozen Foods Plant In Tennessee

KNOXVILLE, Tenn. - The Winter Garden Co. of Knoxville, Tenn., has leased a building from the Bells Chamber of Commerce at Bells, Tenn., and will use it in quick freezing of fruits and vegetables. The lease is for a five-year period with a privilege of renewing it for 20 additional years.

Survey Indicates Home Freezing To Continue Postwar

Vil

Me

passed to will opera

oration,

whether s

rise ma

the paym

A spok

when the

was start

tax fre

iction w

n New Y

anies, in

exempt, a

programs

Local in

will proba

he new

In its p

rofit, ne

Vilter M

ncome to

system, f

ion, and

sed to f

litioning

he benefi

e comm

Earle I

ould no ndercut

urpose o

ips, em

issed in

loye exe

licated,

Foundat

by L

apkin, a

entified

nild. at oundatio

ock, no ire the devote Later th

e Vilter nended

ded For

ss along

Founda lding ex

Then, in

ne 14,

eir holdi

Refri

Food

At leas

forts.

Eugene

SAN FRANCISCO-An indication that manufacturers of frozen foo cabinets anticipate a continuation of home freezing in volume in the post war period is found in a survey con ducted by Good Packaging magazing of San Francisco and presented in the April issue. This is contrary to the popular belief held in frozen foot trade channels that termination of the war emergency would consider ably reduce the volume of hom freezing.

In the article, which is based or reports made to the magazine by cabinet manufacturers, the authors H. C. Diehl, director of the Refrigers tion Research Foundation, Berkeley Calif., and Nelson H. Budd, Good Packaging editor, disclose that a ma jority of domestic cabinets now is ever, said blueprint for postwar markets will compar be built for freezing purposes and nor manufact solely for holding commercially pack exemption ed frozen foods in the home.

The authors warn that if home freezing is encouraged it must be safeguarded by an educational campaign "to instruct housewives per sistently and in detail in the art of freezing foods in home cabinets."

Other highlights of the survey are (1) a call for an exchange of idea and for cooperation in postwar planning by all factors in the frozen foods industry—cabinet manufacturers, container manufacturers brokers, distributors, retailers, a packers; (2) disclosure that the burden

achieving perfect packaging for frozen foods will rest with contains manufacturers and packers; (3) indication of continued use of

the familiar rectangular package for these products;

(4) greater emphasis on eye-appeal of commercial packages since a majority of the new display cabinets is stores will be built so that t shopper can see the package at (5) a more pronounced trend

top-access cabinets rather than sid access in the retail stores



VICTOR CHEST TYPE Refrigerators will be produced in three sizes: Model Q4510 with 10½ cubic foot capacity; Model Q4518 with 18½ cubic foot capacity (illustrated above); and Model Q4526 with 26 cubic foot capacity.

VICTOR VERTICAL TYPE Refrigerators, Model Q4550 with 50 cubic foot capacity, having two reach-in doors. This model is furnished with or without prechill walk-in refrigerator of sizes ranging from approximately 150 cubic foot up.

WRITE FOR LITERATURE

VICTOR PRODUCTS CORPORATION

HAGERSTOWN,

MARYLAND

Branch Offices: 151 Hudson St., New York City - 730 N. Franklin St., Chicago, Ill.



Write for complete information. Bulletins C-14-M, C-58, C-68-C

CURTIS REFRIGERATING MACHINE DIVISION of Curtis Manufacturing Company 1912 Kienlen Avenue • St. Louis 20, Mo.



Walk-In, Beer Dispensing and Beverage Coolers BLUE RIBBON FARM MILK COOLERS

La Crosse Novelty Box Mfg. Co. La Crosse, Wisconsin



copy of the **NEW 1945**

AIRO Wholesale CATALOG

of Refrigeration and Air Conditioning PARTS - TOOLS - SUPPLIES

the sooner you'll understand why "you'll like to buy from Airo Supply-

Write today on your letterhead, please.

AIRO SUPPLY CO. (NOT.) WHOLESALE ONLY 2732 N. Ashland Ave., Dept. B Chicago 14, Illinois

M/Nooreerreene erreenenen erreen bestelle betekken om om tot bestellt

enginee ing the cial sys

develop cesses, in Carri progran Walter

111 OIL THE WAR

he use of reatly acceding this e GENERAL

Vilter's New 'Non-Profit' Setup May Meet Test on Matter of Income Tax

MILWAUKEE - The Vilter Mfg. ndication zen foo Co., control of which on June 14 passed to a group of executives who uation o the post will operate it as a "non-profit" corrvey con poration, may provide a test of magazin whether such a manufacturing enterprise may by such operation escape ntrary to the payment of Federal income taxes. Ozen food A spokesman for the company said ozen foo A spokesman for the company said, action of the was assumed that after May 21, when the final incorporation change consider of home was started, that income of the firm is tax free." He said that this pre-based or diction was based on decisions made azine by in New York courts on similar com-Berkeler exempt, although it sells commercial at a ma Local income

now hever, said that they do not see how sets will company continuing to engage in and not manufacturing is entitled to tax lly pack exemption. A decision on the matter will probably not be made until after if home the new organization files its first must be return.
nal came In its plan of operation as a non-

In its plan of operation as a nonprofit, non-stock organization, the te art of vilter Mfg. Co. would use its net pinets." income to set up an employe pension system, free from employe contribuof idea ion, and for unemployment compen-postwar sation. Net income would also be used to further research in air conet many litioning at universities, and "for actures the benefit of the whole industry and ers, and the common good."

ves per

vey are

of idea

urden of

container

d use d

e-appeal

e a ma

binets in

hat th ge at a

trend to

ON

ete

tion.

-14-M

-68-C

DIVISION

20, Mo.

s of AL A MOITAS

CHOSSE

LERS

ШЩ

you

Earle B. Tilton, president of the company, asserted that the company would not use tax exemption to indercut competitors, nor for any purpose other than research, scholarhips, employe benefits, and similar

The moves by which the company assed into the control of the emloye executives were rather comlicated, but the main events were

Foundation, Inc., was formed April 7 by Leon F. Foley, Joseph E. nan side Rapkin, and Ronald A. Drechsler, all dentified with Miller, Mack & Fairhild, attorneys for the Vilters. foundation, Inc., was to be a nontock, nonprofit corporation to acuire the assets of the Vilter Co. and devote net income to charity.

Later the articles of association of he Vilter Mfg. Co., themselves, were mended and the company supereded Foundation, Inc., to do busiess along the same charitable lines s Foundation, Inc., with the lawyers olding executive positions.

Then, in the move consummated une 14, the lawyers relinquished heir holdings to the employe execuves, and the company will be oper-

Refrigeration Engineer **Food Freezing Plants**

At least five years' application engineering experience, including the design of large commercial systems for freezing foods. Must be thoroughly familiar with load calculations, cost estilates and the most recent developments in freezing processes, techniques and equipment. Attractive key position in Carrier's postwar frozen food program. Address reply to-Walter A. Grant, Director of

Application Engineering, Carrier Corporation, Syracuse 1, New York.

WAR INDUSTRIES EED REFRIGERATION

of refrigeration in industry has been accelerated by the war. In peace-

GENERAL REFRIGERATION DIVISION



ated by them under its amended

The new officers of the company

President, treasurer, and general manager, Earle B. Tilton. He was formerly executive vice president, treasurer, and general manager.

Vice president, A. A. Silverman. He was formerly with the treasurer's office of the Hansen Glove Corp., Milwaukee.

Secretary, Ludwig E. Loos, chief engineer of the firm.

Assistant secretary-treasurer, M. F. Grady, controller.

These men, with W. L. Nahin, general sales manager, are the members of the corporation and of the board of directors.

The company has been manufacturing 105 millimeter cannon for the Army, but it is understood that work on this contract will end about Aug.

1. It has orders for refrigeration equipment for the Navy which will carry on throughout the year.

As many workers as possible will be transferred to refrigeration manufacturing operations as government orders diminish.

Order Affects Repairmen

WASHINGTON, D. C.—Refrigeration repairmen who order materials for emergency servicing of industrial and commercial refrigerating and air conditioning systems with the MRO symbol under provisions of Order P-126 no longer have to designate the quarter in which the material is to be used, according to Interpretation 25 to CMP Reg. 1 as amended recently, announces WPB.

Such authorized controlled materials orders, however, still must bear a delivery date, WPB advises.

OPA Surveying Radio Parts Field on Prices

WASHINGTON, D. C. - A cost survey questionnaire to be sent to radio parts manufacturers, for purposes of gathering basic data needed to establish reconversion ceiling prices for radio parts, has been drawn up by OPA officials and a group of accountants from the industry.

The OPA reconversion price formula will not require price setting on each individual item sold by a parts manufacturer, industry representatives point out, but can be calculated on a flat percentage basis either for a company's over-all products or for the products of one of its divisions.

The investigation of cost increases will require weeks of work. A meeting of the Radio Receiver Tube Manufacturers Industry Advisory Committee then can follow, OPA officials report.

Prices of domestic sets will depend largely upon the resulting parts

Mullin Heads Sale of G-E Appliances to Farms

BRIDGEPORT, Conn.-G. E. Mullin, Jr., has been appointed manager of the farm sales division of General Electric's appliance and merchandise department, C. R. Pritchard, general sales manager, announces.

Mr. Mullin's experience in the farm field has been extensive since joining General Electric in 1925. From 1936 to 1939 he was in the company's rural electrification, electrical contractor, and educational sections in Schenectady. From 1940 to 1942 he was manager of the farm sales section.

Clay Manages Wesco San Antonio Branch

SAN ANTONIO, Tex.-L. J. Clay has been named manager of the San Antonio branch of the Westinghouse Electric Supply Co. Mr. Clay is new with Westinghouse, having come with the company the first part of this



HOUSANDS OF PACKAGES of delicate, precision metal parts are being delivered to our fighting fronts . . . moisture-free and rust free . . . because of Joliet Silica Gel.

The power of crystalline Joliet Silica Gel to absorb atmospheric moisture within containers is almost phenomenal. Its drying action prevents rust and corrosion. Moreover, it is widely used as a drying agent in cartons and boxes of foods, fabrics, chemicals and other commodities.

Joliet Silica Gel is strictly a quality product. It is clear white; passes a rigid section test;

meets exacting government specifications. Write today for full information.

Opportunity for Jobbers

There are excellent opportunities for jobbers to build profitable business on Joliet Silica Gel in a few territories. Write for details.

JOLIET CHEMICALS, LTD. IN DUSTRY AVENUE JOLIET, ILLINOIS

REFRIGERATION PLANT SUPERINTENDENT WANTED

Superintendent to head all production in Machine Shop, Assembly Room, and High and Low Sides Department, including dehydration, charging and testing. Man must be thoroughly experienced and energetic. This position has a good future and is with a nationallyknown producer of refrigeration equipment. State qualifications and experience. Present organization knows of this inquiry. Box No. 1762, Air Conditioning & Refrigeration News.



Member of the National Refrigeration Supply Jobbers Association

Your refrigeration parts and supply house in Central New York and Northern Pennsylvania TED GLOU

CENTRAL SERVICE SUPPLY CO.

516-18-20 E. Erie Blvd., Syracuse, N. Y. 209-211 Jefferson Ave., Scranton, Pa.



Customer: "What's going on here?"

Clerk: "They're gay because the New Kelvinator Condensing Unit keeps them fresh and happy."

For 30 years Kelvinator's superior engineering and craftsmanship . . . superior designing and manufacturing skill have resulted in condensing units with more dependability . . . more economy . . . more performance.

Progressive service men know this . . . and always specify Kelvinator.

Kelvinator distributors and zone offices stock a complete line of refrigeration supplies.



FOR YOUR HOME-REMEMBER KELVINATOR RE-FRIGERATORS, ELECTRIC RANGES, WATER HEATERS AND HOME FREEZERS

Bank of Cooperatives Plans Financial Aid For Locker Plants

SPRINGFIELD, Mass. - Postwar activities of the Bank for Cooperatives, according to plans announced in Springfield, Mass. in May, will include loans to help start numerous cooperatively owned plants containing freezer locker storage plants in rural communities of the Northeast.

The Bank for Cooperatives is part of the Federal Farm Credit Administration and is concerned with providing credit for agricultural co-operatives only. The bank enjoyed its largest year in 1944, when it handled \$11,000,000 in new loans to cooperatives, raising its annual volume to \$17,000,000. Thus far this year, it was stated, its business is continuing at the same level. Most of the bank's loans up to this time have been to marketing cooperatives which wholesale fruit, vegetables, or dairy

Much interest is said to have been shown in plans for the establishment of new locker plants. It was announced that in some cases, after the war when materials again are available, new special purpose buildings will be erected at central points, or present buildings will be purchased and converted into freezer plants where farmers from a wide area may rent lockers for quick freezing and storage of farm products.

Some of the plants, it was noted, will have their own slaughter and cutting rooms so that whole animals may be taken there and prepared for storage.

British Columbia Locker Plants Reveal Progress in Average Farm Community

'Thrift' Features Should Sustain Growth Postwar

CHILLIWACK, B. C .- "I drew only \$260 for the first 16 months of operation.'

You couldn't find more appropriate words to tell the story of the struggles endured by cold storage locker pioneers in Canada. They were spoken by George M. Williams, president of the British Columbia Cold Storage Locker Association and owner of one of the largest, if not the largest, locker plants in the country.

Trail-blazer for the industry in British Columbia, through erection of a plant in Chilliwack in 1938, he concedes that it has been an uphill battle. By the end of 1939, a year and a half after he had opened for business, he had rented only 28 of the 288 lockers in his plant.

Faced with such a situation, many a business man probably would have gone respectably bankrupt and turned to some other field of endeavor. George Williams might have had such ideas, but if he did he kept them to himself. Instead he went on talking cold storage lockers to the farmers in Chilliwack Valley. And by the autumn of 1940 he had more than 100 of them renting space, and by the end of the year all 288 of his lockers were in use.

Today, his company, Chilliwack Refrigeration Co., Ltd., operates two plants with a total capacity of 1,460 lockers and most of them are rented. The second plant, built in 1944, is a smartly styled white building in the downtown area and caters to an ever-growing volume of city trade.

The success of his venture in Chilliwack has resulted in other cold storage locker plants springing up across the province. Although the total still isn't imposing, there are 12 such plants in operation now and 10 more are in the course of construction.

The operators recently formed an association, purpose of which is to assist those entering the field and to endeavor to set up standards of operating practice which will place the new business on a respected foundation. As president of this association, Mr. Williams makes it clear that the operators, far from being exclusive, are ready to welcome new

blood in the field.

They are particularly anxious to help any returning servicemen who may wish to establish themselves in such enterprises.

Admi

een la

certifica

ment by

vice pr

"This

food sto

laborato

Snider.

for the

and oth

used ac

certifica

The 1

two se

smaller

freezing

moist-c

preserva

South

& Main

reorgani

tiations

move in

at 6 N.

Griffin.

First

will be g

rooms,

floors

Present

First A

Future

expansio

cial, and

marine r

"There are no particularly big interests in the business anywhere in British Columbia," says Mr. Williams "Most of us are just average business men who have learned quite bit about a new and apparently profitable business.'

He feels that a keen and in dustrious operator should be able to make a go of things in any com munity which possesses a reasonable sized farm population, and economic sources of power and water.

"Farmers around Chilliwack took a lot of showing," he says, "but once a farmer rented a locker I found i was not very long before neighbors started to come in. Pretty soon you would have a whole group of neighbors renting lockers.'

Because the fundamental of the locker business is the habit of saving, he believes that frosted food lockers will enjoy continued popularity during normal periods peacetime. He discounts that their success is based on any wartime boom or surge of prosperity.

"Saving is more essential during normal or depression periods. good management any frosted foods locker plant should have a sound future, because its type of service is based on the fundamental trait of thrift."

He estimates that perhaps 75% his business is in meats, a factor which led to his adding a meat curing department in 1943. The result has been that this branch cures and smokes over a ton of pork per week during the busier seasons.

He believes in an individual loc and key system for each locker, an a card index system which supplies a complete record of service rendered every patron. He consider the proper handling and wrapping of meats extremely important t success. Every cut of meat wrapped in the best quality was paper, then rewrapped in manilla Each parcel is stamped with the cut of meat, number of locker, and date it is put in storage.

Since 1935

When Operators Want Good **Lockers-They Look To Master**

Reputation is an insurance which infallibly protect the purchaser whose reason for buying is that he believes i the article and its maker. It is the strongest guarantee the what he buys is worthy. Follow his lead-order





They are solidly built of steel men who pioneered the industry They have features that assure profi able and economical Locker plan operation. It costs no more to the "Choice of the Industry." If you want lockers that meet your ever requirement—demand MASTER.

Immediate Shipment

Our greatly expanded facilities now in operation make possib prompt shipment of your require ments. Write, phone or wire you order today.

> Endorsed by and sold through distributors of refrigeration and insulation.

MASTER

Member of Frozen Food Locker Manufacturers and Suppliers Ass'n. organized for your protection.

Over 700,000 Master Food Conservators in Use

Admiral 'Dual-Temp' Model Is Tested nity **By Birds Eye-Snider**

nxious to

selves in

arly big

Williams

age busi.

quite a

pparently

and in be able

any com.

asonable

ack took

found it

. Pretty

l of the

habit o

sted food

ed popu-

riods of

hat their

wartime

ed foods

a soun

servic

tal trai

75% of

a factor

ne result

ures an

er week

ual lock ker, an supplie consider vrappin rtant meat

ity wa

manilla the c

and da

DO

ster

rotect

eves ee tha

steel b

ndustry e profi r plan

to g

If yo

r eve

ER.

nt

acilitie

possib

equire

e you

fore

CHICAGO-Admiral Corp.'s "dualhousehold refrigerator has heen laboratory tested and given certificate of approval by Birds Eyemen who Snider, Inc., according to announcement by L. H. D. Baker, Admiral's vice president in charge of appli-

> "This freezing locker and frosted food storage compartment has been laboratory tested by Birds Eye-Snider, Inc., and is approved by them for the storage of Birds Eye foods and other quick frozen foods when used according to directions," the certificate reads.

The refrigerator is divided into two separate compartments, the smaller of the two for the quick freezing of foods or for storage of foods already frozen, the larger "moist-cold" space for fresh food preservation.

Southland Moves To New Miami Quarters

MIAMI - Southland Refrigeration & Maintenance Co., Inc., has been reorganized and expanded to step up present service facilities, and negotiations have been completed to move into a newly acquired building 1 during at 6 N. E. St., reports Joseph E. s. With Griffin, president.

First floor of the new building will be given over to offices and show rooms, while the second and third will house service shops. floors Present offices are at 327 N. E. First Ave. here.

Future plans of the firm include expansion in the industrial, commercial, and domestic fields, as well as marine refrigeration, said Mr. Griffin.

Maximum Prices Set On Home Freezers Produced by Schmit

WASHINGTON, D. C .- Maximum prices for two models of home and farm freezers manufactured by the Schmit Construction Co. have been established by Order 3968 to Maximum Price Regulation 188. The order also permits certain additional

Following are the prices to the trade and to consumers:

		On sales to	On sales to	On sales to
		dis- tribu-	dealers	sumers
Item	Size	tors		sumers
L-D-10	10 ou. ft. with 1/4-h	p.		
	condensing unit	\$190	\$288	\$380
L-D-15	15 cu. ft. with 1/4-h	p.		
	condensing unit	225	330	450

The maximum net prices established in (a) above may be increased by the following amount to each class of purchaser as a charge to cover the cost of crating, when crat-

ing is actually supplied: \$6.

The maximum net prices established by this order shall be subject to discounts and allowances and the rendition of services which are at least as favorable as those which each seller extended or rendered to purchasers of the same class on comparable sales of similar commodities during March, 1942.

On sales by a distributor or dealer the following charges may be added to the maximum prices established above:

(1) The actual amount of freight paid to obtain delivery to his place of business. Such charges shall not exceed the lowest common carrier rates.

(2) Crating charges actually paid to his supplier but in no instance exceeding the following: \$6.

Each seller of the commodity covered by this order, except a dealer, shall notify each of his purchasers,

in writing, at or before the issuance of the first invoice after the effective date of this Order, of the maximum price established by this order for each such seller as well as the maximum price established for purchasers upon resale, including allowable transportation and crating charges.

The Schmit Construction Co. shall stencil on the inside of the lid or cover of the farm and home freezer covered by this order, the maximum net price to consumers established by this order. The stencil shall contain substantially the following:

OPA Maximum Retail Price—\$.....

Plus freight and crating as provided in Order No. 3968 under Maximum Price Regulation No. 188.

Vassar Will Direct All Wesco Service

NEW YORK CITY - John A. Vassar has been named general service manager of the Westinghouse Electric Supply Co. He will have offices in New York.

In his new position, he will be responsible for the supply company's nation-wide service department operations, including home appliances and radios.

Coming to the Westinghouse Electric Corp., parent concern of the supply company, in 1929, Mr. Vassar was appointed assistant service manager of the Electric Appliance Division with headquarters at Mansfield, Ohio. He joined the supply company May 1 of this year in his

Gulf Shipbuilding Co. Launches Third 'Reefer'

MOBILE, Ala.-The SS San Jose, the third in a series of six allrefrigerated ships to be built by the Gulf Shipbuilding Corp. for the U. S. Mail Line, a subsidiary of the United Fruit Co., was launched at Chickasaw yard recently.

Ice Cooling Appliance Freezer Prices Are Set

CHICAGO—Retail price of \$215 has been established by OPA as the ceiling on the home and farm freezer manufactured by Ice Cooling Appliance Corp. here. The unit is known as the "HL-9 Koldmaster."

Manufacturer's price to distributor is set at \$107.50, and distributor's price to dealer at \$129. When crating is supplied actual crating charges up to \$4 may be added to the ceiling prices. Actual freight charges may also be added, OPA has ruled.

Valley Refrigeration Gets New Building

TULARE, Calif. — Valley Refrigeration Co. is erecting a \$19,000 building on Lindsay highway here, announces Robert Fish, head of the company.

The new structure, which will be completed in two months, will be used primarily as shop and warehouse space.


Built by the Stover Construction Co., the building is modernistic in



Because of the "Prime Surface" (no intermediate factor between the refrigerant and the contact surface of the plate) of Stangard Cold Plates, highest refrigeration efficiency is achieved, reducing such locker plant troubles as excessive power costs and dehydration to a minimum. The smooth surface of the plate permits easy brushing off of the accumulated frost, making plant shutdowns for defrosting unnecessary.

Whether for locker plants, display cases, food counters, soda fountains, trucks, liquid coolers, ice cream cabinets, farm milk coolers, farm freeze cabinets, frosted food refrigerators, beverage coolers, rivet chillers and low temperature test rooms, install Stangard Prime Surface Cold Plates and see how easy it is to have trouble-free operation!

THE STANGARD DICKERSON CORPORATION 46-76 Oliver Street . Newark, N. J. Copyright 1945 by The Stangard Dickerson Corporation





STANGARD KNOWS REFRIGERATION

You'll do faster flaring with a SLIP-ON YOKE!



The No. 195-F Imperial Flaring Tool with the Slip-on Yoke has made a great hit with refrigeration men everywhere.

The illustrations show how easy it is to use. The yoke is made so that it slips right over the bar instantly without twisting or turning. Inside edges of the yoke are slotted so that once in position a slight turn holds it in place.

If you haven't used one you will be

surprised how this improvement speeds up flaring.

The No. 195-F Flaring Tool makes correct 45° flares on 1/4", 5/16", 3/8", 1/2" and 5/8" O.D. soft copper, brass or aluminum tubing to make up leakproof SAE flare

If your Jobber cannot supply you with one of these flaring tools from stock he can secure it for you in a short time.

THE IMPERIAL BRASS MANUFACTURING CO., 565 South Racine Ave., Chicago 7, Illinois

FITTINGS . STRAINERS . DEHYDRATORS . VALVES . FLOATS . CHARGING LINES TOOLS FOR CUTTING, FLARING, BENDING, COILING, PINCH-OFF AND SWEDGING

They'll Do It Every Time . . . By Jimmy Hatlo





BUY AND KEEP ... WAR BONDS -


IT'S LATER THAN YOU THINK Even before V-E Day, Sunroc Refrigeration Company had almost completed its distributor sales-structure for nation-wide distribution . . . and was turning out Sunroc Water Coolers in impressive numbers, for essential civilian use. Production-wise, no plant-changeover was necesfront market. qualified dealers.


sary . . . there was no lag of reconversion. Side by side with production lines for the Government, Sunroc Water Coolers of identical quality are being built, in ever increasing numbers, for an impatient home-

This market is more than a war-starved market. It is a market which had received comparatively little cultivation before the war. The demand for Sunroc Water Coolers, based on a universally recognized need, offers unlimited possibilities for properly

If you would be one of these, the time remaining for action is short. A few-a very few-choice Sunroc franchises are yet to be allocated. Prompt action, now, may bring you a profitable tie-up with the organization which, through intensive specialization, has developed the finest water coolers in America.

Mail the coupon today, and we will refer it promptly to our regional distributor. He will give you full information about Sunroc, and inform you as to territory available. Sunroc Refrigeration Company, Glen Riddle, Pa.





AN INTERNATIONAL INSTITUTION . SUBSCRIBERS ALL OVER THE WORLD Trade Mark AIR CONDITIONING AND

REFRIGERATION /

F. M. COCKRELL, Founder

Published Every Monday by BUSINESS NEWS PUBLISHING CO. 5229 Cass Ave., Detroit 2, Mich. Telephone Columbia 4242.

Subscription Rates: U. S. and Possessions, Canada, and all countries in the Pa American Postal Union: \$4.00 per year; 2 years for \$7.00. All other foreign countries \$6.00 per year. Single copy price, 20 cents. Ten or more copies, 15 cents each or more copies, 10 cents each. Send remittance with order.

GEORGE F. TAUBENECK Editor and Publisher

PHIL B. REDEKER, Managing Editor

C. DALE MERICLE, Assistant Editor Ross H. Potter, Assistant Editor Editorial Assistants: BARBARA LEE, MARCELLA PRICE, DOROTHY DURAND, FRANCES WEED, AND LORRAINE MCNINCH.

U. S. Patent

Est. 1926

JAMES B. SMITH, Advertising Mar. ELIZABETH SMITH, Assistant Bus. Mgr. HELEN C. HENDERSON, Credit Manager RUTH RICHARDSON, Subscription Mgr.

On leave of absence to serve our country: U. S. Army: Jack Sweet, George L. Collins, George M. Hanning, and Hugh T. Mahar. U. S. Navy: Robert P. Nixon, Ed Henderson, John R. Adama and Andrew Gantt. U. S. Marine Corps: Paul R. Park. U. S. Army At-Forces: Jim McCallum, George Watkins, and William Walter. U. S. Coast Guard: Merton Glutting. Waves: Margaret Marr and Lyndon Jane Brode

Member, Audit Bureau of Circulations. Member, Associated Business Papers.

VOLUME 45, No. 9, SERIAL No. 850, JULY 2, 1945

This Patent Controversy

ED by Thurman Arnold of the United States Court of Appeals, a determined attack is being made on the world patent system. When Mr. Arnold was Attorney General he used that office primarily for wild-swinging "trust buster" activities; and now apparently, under the guise of "returning patents to the inventor," he is setting out to apply the Sherman Anti-Trust Act to the world at large.

In court decisions he is writing, Mr. Arnold is insisting that "the collective achievement of a corporate research organization is not patentable."

He has written that the products of corporation laboratories are "more often than not the product not of inventive ability but of the financial resources and organizing ability of those who operate the laboratories."

Well, so what? The big point is that out of laboratories comes progress. The end result-better living for individuals and for the community—is what's important, rather than whether the idea originated in a basement workshop or from the collective endeavors of a group of scientists working in an air conditioned laboratory on salaries which give them freedom from want

Mind you, we're all for the individual inventor. He is of the stuff which built America. Fruits of his toil should be rewarded commensurately with their worth. His brain children should be fully protected under the patent laws.

But why should our desire to protect the attic-workshop inventor lead us to destroy that other fruitful source of progress -the corporation laboratory?

For the rugged genius who gets thin in a garret while working out his invention we have nothing but understanding and admiration. He deserves the best. He is a true American.

But for the trained scientist who prefers the security of a salary to the gamble for great riches, we have another, and just as valid, kind of admiration. Frequently this is the pure scientist. He wants to concentrate on his research, free from money worries. He wants all the equipment and assistance available, without having to mortgage his mother-in-law's farm to buy second-hand tools.

He has the leisure, the equipment, and the assistants to work out problems which the lone inventor could never hope to tackle. True, if he works out the problem's solution, the corporation which pays his salary and provides his tools makes the profit.

But in the meantime, whether he wins or loses—and most scientific research is in the red most of the time—he is well fed, well clad, well housed, and living amongst congenial companions who speak his language. All the corporation research workers we know are happy fellows.

It will be argued by the totalitarians that if corporation laboratories aid progress whilst keeping scientists comfortable and happy, the government should operate such research institutions.

The objection to such a course is, naturally, politics Scientists would then obtain their jobs not because of what they knew but whom they knew. A change of rulers would probably mean a new set of scientists and a junking of the research-inprogress. And without the compelling urge of the profit motive. the government-sponsored laboratory might easily degenerate into a boondoggle.

It's our belief that Thurman Arnold won't be very successful with his windmill tilting. The people of this country won't let any man get in the way of progress, no matter how glib his demagogic appeals may sound at first hearing.

Publishing Co.

1945.

ho

fa





1945. ness Ne

Mgr.

ogress

while

nding

rican. ity of

from stance farm

ts to hope the nakes

most I fed, nions rkers

ation rtable earch

litics. they bably

ch-inotive. erate

essful 't let b his

NDABLE Refrigerant Values

Stocked and Sold by Good Refrigeration Jobbers Everywhere . Recommended and Installed by Leading Refrigeration Service Engineers



... gives always full capacity because there is no interruption for defrosting at sub-zero temperatures; protects quality in foods.

NIAGARA BLOWER COMPANY 25 Years of Service in Air Engineering Dopt. AO, 8 E. 48th St., New York 17, N. Y.

WRITE FOR CATALOG



Due to the paper shortage we will not issue a catalog in 1945

SERVICE PARTS CO. 2511 Lake St. Melrose Park, III.

Study of Air Duct Friction Aims To Provide More Practical Charts

CLEVELAND-The subject of air duct friction will be a major study at the Research Laboratory of the American Society of Heating & Ventilating Engineers, Cleveland, under the direction of the Technical Advisory Committee on Air Distribution and Air Friction.

Responsibilty for these studies has been given to a subcommittee: R. D. Madison, Chairman, Buffalo; S. H. Downs, Kalamazoo, Mich.; L. P. Saunders, Lockport, N. Y.; K. H. Flint, Cleveland; H. F. Hagen, Boston; L. L. Simmons, Detroit; and Prof. D. K. Wright, Cleveland; and a conference was held April 5 at the Research Laboratory. A Report on the following aspects of the subject of air duct friction prepared by Prof. Wright for the Committee on Research, was considered.

COMPARE EXISTING DATA

(a) A comparison of basic source

(b) A comparison of the present friction chart in the Guide with similar charts or tables in use by various organizations or recommended in handbooks and textbooks.

In presenting his report, Prof. Wright stated, "Authorities in the field of fluid mechanics are in essential agreement as to the general equations governing the friction of fluid flowing in closed round pipes. These relations have been employed by Rouse and by Moody in preparing charts from which the friction coefficient can be determined. It has been definitely established that these charts are valid for a large number of fluids, air among them.

"Since any practicable set-up for testing the friction of ventilating ducts is limited as to sizes of ducts which can be tested, and velocities which can be reached, such tests as were made in the past have been generally restricted to conditions in the lower portion of the friction chart. This limited range of results leads to an equation which can be greatly in error if extrapolated sufficiently to include the range of the usual friction chart."

In view of the general acceptance of the basic functions, Prof. Wright suggested that it would be a better procedure to use the results of tests on ducts to evaluate the one un-known in the equation, i.e., the roughness parameter, and to make up the proposed friction chart on that basis.

WHAT IS WRONG NOW

It was pointed out that the friction charts now in general use tend: (1) To give friction values too

low in the upper range if satisfactory in the low range, or too high in the middle if satisfactory at top and bottom.

(2) To over-emphasize the effect of change of diameter in the low velocity range

(3) To under-emphasize the effect of change of diameter in the high velocity range.

RECENT LEGAL DECISIONS Affecting Refrigeration & Air Conditioning Fields

Approximately 90% of all lawsuits involving companies or individuals in the refrigeration, appliance, and air conditioning fields result from a lack of knowledge of the elementary principles of modern law, declares Leo T. Parker, Cincinnati attorney who analyzes and writes on litigation in various industries.

Mr. Parker in this series of articles reviews some of the more recent higher court decisions on lawsuits which have involved business matters and practices in the refrigeration, appliance, and air conditioning fields.

Seller Liable on Contract

A seller of air conditioning, refrigerating, and heating equipment always is liable on a breached contract. Also, a bank, or other person, who purchases the notes and contract given by the purchaser cannot ordinarily recover payment from the purchaser where the testimony shows that the seller breached the contract.

This rule of law is applicable although the purchaser signs an agreement that he is perfectly satisfied with the equipment.

For example, in State National Bank of El Paso, Texas, v. Cantrell, 143 pac. (2d) 592, reported January. 1944, it was shown that a restaurant owner purchased from a dealercontractor an air conditioning system to be used in his restaurant. Signed by the seller and by the restaurant owner was a conditional sale contract which contained a clause as follows:

"The seller would guarantee said equipment for a period of five years." The restaurant owner paid part

down and gave his notes for the balance due. Soon afterward the restaurant owner signed a letter stating that the equipment purchased has "been completely installed and is satisfactory.'

The seller sold the notes and the contract to a bank. Within a few months the restaurant owner discovered that the air conditioning equipment installed in his restaurant was partly second-hand and was unfit for the purposes for which it was purchased.

The buyer called upon and asked the dealer-contractor to make such repairs on the equipment as would cause it to function properly or to replace the same. The seller failed to comply with this request, and the restaurant owner refused to pay the notes held by the bank. The bank sued the restaurant owner, but the higher court held the latter not

liable nor required to pay the note First, This higher court said a 'signa opper tu statement" that the subject of sale is satisfactory does not co mmon clude the purchaser, but is only (1) It be considered along with all other (2) It evidence on the issue whether or h

on the part of the seller. If the seller has breached to original contract the purchaser m recover all past payment, and a is entitled to damages he sustaine

there has been a breach of warrant

Must Comply with Law An important point of law is the almost all states have enacted speci laws which require foreign porations to obtain from state thorities permits, licenses, or ce tificates to do business. Many these state courts have held the manufacturers or sellers who fail comply with this law forever forfe their legal rights to maintain a st in the state. Other state cour have held that the seller may co tinue the suit after he obtains certificate.

For example, in Warren Co., In v. Exodus, 54 N. E. (2d) 755, n ported August, 1944, the validity an Indiana state law was contest which prohibits foreign corporation from transacting business in t state without procuring a certificat

A corporation in Georgia failed obtain the certificate and filed su in Indiana against a purchaser of refrigeration system to collect amount due.

The higher court refused to p mit the seller to defend the suit un he obtained the certificate.


However, in another recent de sion the higher court refused to pe mit a seller to obtain a certifica and then continue with the st This court held that the seller forfeited his right to prosecute suit by his failure to comply the state law and obtain a certific before the suit was filed.

"Made-to-order" weather helps

when you Sell Servel*

*Servel's new "Supermetic" murz min zeize dealers and fixture manufacturers in every vital field

- 1. STORE FIXTURES
- 2. MILK COOLERS 3. **HOME LOCKERS**
- 4. BEVERAGE COOLERS
- S. VENDING MACHINES 6. ROOM COOLERS .
- 7. FARM FREEZERS
- e. INDUSTRIAL COOLING
- 10. VEHICLE REFRIGERATION



You can assure customers of efficient operation under any climatic conditions when you sell Servel condensing units. These units are used all over the globe, and must operate efficiently in every climate known to man.

That's why, in the "hot room" pictured above, every Servel unit is subjected to "made-to-order" weather far more severe than anything encountered in actual use. Before it is released, every unit must prove its ability to operate successfully in the dry heat of Death Valley, the humid, sultry heat of New Guinea, the bitter cold of Alaska.

This weather test is important, not only because it assures the efficient operation of Servel units in extreme climates, but also because it guarantees performance in normal climates. But important as the test is, it is only one of many similarly exhaustive tests, covering every phase of operation, that Servel units must pass.

Servel's "Allied" manufacturers frequently take advantage of these test facilities to prove new products. This assures Servel customers of a double check on the quality of packaged merchandise.

These tests are just one more reason why, when you sell Servel, you can do so with full confidence in the ability of the units to measure up to any demands that may be placed upon them.

FREE: For advance information about Servel's post-war line of condensing units, write for the new folder, "Servel Supermetic." Address Servel, Inc., Dept. RN, Evansville 20, Indiana.



Electric Refrigeration Division, Evansville 20, Indiana

WATERLOO For This Water Valve



Penn Series 246 Water Regulator

• Disaster . . . in the form of sedimentation corrosion and rust ... strikes hard ordinary water valves, thus imperiling operation of commercial refrigerators air conditioning systems. Yet it is net less to take such risks. PENN Wal Valves are designed to combat rust, or rosion and sedimentation successfully

PENN Water Valves assure dependah long-life performance because sliding pa never come in contact with water! The are no sticking seats, no rusty rate springs. This water regulator is tremely sensitive to changes in refrigen head pressure-yet free from wa hammer, too.

The PENN 246 is built in two style flanged and threaded-and in a capacity range. Bulletin R-1986 tells whole story. Get your free copy no Write Penn Electric Switch Co., Gosh Ind. Export Division: 13 E. 40th New York 16, U.S.A. In Canada: Pow lite Devices, Ltd., Toronto, Ont.



FOR HEATING, REFRIGERATION, AIR CONDITIONING, ENGINES, PUMPS AND AIR COMPRES

(1) 01 ry, and (2) Ha

omplain

(1) He

(2) He

hich, if

ood gro

and i

R.E.M

nealed

e only

stiffen.

(4) Use

For hard-to-f color the exterior

Tra in the Ask the consult |

4 OZ. bottles 1 qt. containe

Correct Methods of Handling & Working With Copper Tubing

Editor's Note: The following material is from the cleverly prepared booklet "Tube Trails," put out by Wolverine Tube. The booklet was developed in response to a call issued at a R.E.M.A. meeting a year ago by refrigeration service men for more information about the handling and servicing of each manufacturer's products.

eneral Pointers

ields

nies or

tioning

entary

cinnati

ustries.

of the

have

ration.

not co

is only

all other

ached t

naser ma

and al

sustaine

ted specia

eign o

state

or

Many

held th

ho fail

ver forfe

ain a s

te cou

btains

755, validity (

contes rporation

s in

certifical

a failed

filed s

naser o

ollect t

d to

cent de ed to p

certifica

the s

seller secute nply certific

nentatio hard

riling

erators

t is nee N Wat

rust.

ssfully! pendah

iding pa er! The sty ran

or is

efrigen

m wa

styles

a w

5 tells

py no

Gosh 40th

: Pow

R O

the note First, let's take the faults of the opper tubing as seen by the service a 'signe

- ommon complaints are:
- (1) It is not clean. (2) It is not soft enough.
- her or n omplaints against the service man: warrant
 - (1) He is inexperienced.
 - (2) He is careless.
- Here are some general pointers nich, if observed, will lead to the ood ground of mutual understandg and improved performance. aw is the
 - (1) Order tubing that is clean, ry, and properly annealed.
 - (2) Handle the tubing with care.




se only part of it. Bending tends stiffen. (3) Do not unroll an entire coil to

(4) Use good tools.

lending

Watch yourself when bending soft mealed tubing in the field or when ools are not available



Remember the tubing is apt to kink if bent with one rapid motion. Don't sacrifice your time and your tubing-much less your reputation, for speed.



This is the way to bend tube properly: Grasp the tube in both hands leaving about 3 inches of bending area between your thumbs. When you start the bending motion, slide the thumbs toward each other along the tubing, exerting an even pressure. Repeat this until the tubing has been bent to the desired shape. A half dozen times is usually sufficient for a % inch tube.

When bending a larger tube, start with the hands farther apart and work the tubing to the required shape more slowly.


Cutting and Burring

Cutting tools may not be available or the tube to be cut may be too large to fit the tool you have. When such is the case and you use a hacksaw. observe the following to obtain the best results:

(1) Don't force the cut—the tube



Introducing...



For tracing all leaks in refrigerating systems . . . especially the hard-to-find leaks . . . nothing excels Trace. Small additions of Trace color the oil in a system a vivid red, which quickly appears on the exterior and marks the site of the leak.

Trace incorporates the long experience of the makers of Thawzone in the refrigeration field. It is tops for safety and effectiveness. Ask the refrigeration supply jobber for it. For full particulars consult him or write us for literature.

TRADE PRICES

4 oz. bottle\$ 1.00 1 pt. bottle \$ 3.00

1 qt. container \$ 5.00

1 gal. container\$16.00 Save 10% on case lots

HIGHSIDE CHEMICALS CO.

195 Verona Avenue

Newark 4, New Jersey

Bu the makers of

The PIONEER FLUID DEHYDRANT



- (2) Make cut at right angle to the tube.
- (3) After cut is made—use a file or knife to remove the rough burr produced by cutting.
- (4) If first cut has faulty angle, either make another cut or square it up with a file.
- (5) If a tube cutter is used, do not apply too much pressure or the tube will be forced out of round.
- (6) Also be sure to remove burr from inside wall of tube to prevent a "rolled-edge-flare."

(To Be Continued)

York Corp. Declares 15 Cent Dividend

NEW YORK CITY-The board of directors of York Corp. has declared a dividend on its capital stock of 15 cents per share, payable on July 14, 1945, to stockholders on record at the close of business on June 20, 1945. The preceding dividend was one of a similar amount paid on Jan 15, 1945.



Field Education

Manufacturers know that the reputation of their companies, and of the products they sell, are largely dependent on the correct application of the product in the field. NRSJA members educate the trade to the use of new products, and to the correct installation of all items they sell. They not only broaden the market for the firms they represent, but protect the reputation of those manufacturers, and of the industry.

NATIONAL REFRIGERATION SUPPLY JOBBERS ASSOCIATION

Dependable Distribution

Headquarters Paramount Building, Cincinnati, Ohio



Improved REF DRYERS

Weatherhead dryers using Silica Jel are made in both the rechargeable and non-rechargeable types. No felts or organic filters are required. Instead, a generous number of fine mesh stainless steel screens are used. Full flow is assured even at zero temperatures. The Weatherhead line of improved refrigeration products is available now.



In addition to refrigeration dryers, Weather-head also manufactures manifolds, fittings, drain

AUTO MOTIVE

REFRIGERATION

RAILROAD

* MARINE

FARM EQUIPMENT

ROAD MACHINERY

DIESEL

L. P. GAS *

APPLIANCE MANUFACTURERS

Write today or phone any nch office for our new, fully illustrated Refriger

THE WEATHERHEAD COMPANY, CLEVELAND 8, OHIO Plants: Cleveland, Columbia City, Ind., Los Angeles, Canada-St. Thomas, Ontario

BRANCH OFFICES: NEW YORK . PHILADELPHIA . DETROIT . CHICAGO . ST. LOUIS . 105-ANBELES

'Inviting' Store Layout Will be Chief Help To Postwar Dealer, Believes Appliance Mfr.

NEW BRITAIN, Conn. — Accelerated market trends will sharpen competition when electrical appliances are again on the market, and it will be the dealer with the modern. inviting store who will be getting the sales volume, believes executives of Landers, Frary & Clark, manufacturers of Universal appliances.

So, to help dealers redecorate and redesign their stores, leaders in the field of store modernization were contacted by Landers, Frary & Clark, with a view toward working out a plan practical for any dealer.

CALLED 'MODERNEERING'

plans were then tied together in a package labelled, 'Moderneering."

Richard M. Bennett, store modernization consultant and professor of design in the Department of Architecture at Yale University, created the basic plans of "Moderneering," and coordinated the recommendations and specifications of cooperating manufacturers who participated in the program.

Dr. O. P. Robinson, of New York University School of Retailing, author of three books on merchandising and modernization, was associated with Universal's plan board in producing the guide to store planning.

Store materials manufacturers who cooperated with Universal in the development of "Moderneering" were:

Pittsburgh Plate Glass Co., Congoleum Nairn, The Celotex Corp., Sylvania Electric Products, Inc., W. C. Heller Co., American Store Equipment Corp., Devoe Reynolds Co., Inc., National Electric Sign Association, and the Carrier Corp.

"Moderneering," as conceived by Landers, Frary & Clark, employs such basic principles as:

(1) Basic plans are provided for three types of stores: specialty appliance shop; hardware and general type store; and a modern appliance center for department, furniture, or utility stores.

(2) These basic plans are developed step-by-step through each phase of store planning-including store fronts, flooring, interiors, lighting fixtures, display fixtures, signs, and air conditioning.

SUGGESTIONS IN PLANS

Following are some interesting ideas culled from the basic plans: Items such as design of floor patwalls and ceiling materials by Celo-

terns by Congoleum Nairn or use of tex Corp. tied in with the basic projection walls play an important part in planning a retail store for the main purpose of selling merchandise.

The flow of traffic from the street the interior is accomplished through simple but important window and store front treatment. example, Pittsburgh Plate Glass'

store front design is so constructed that a consumer is lead subconsciously into the store by the display of appliances in the window.

In the interior of the radio and appliance store, cross counter displays, appliance centers, and crisscross aisles play a psychological part in getting the customer from one display of merchandise to another.

Customers who enter the store in anticipation of purchasing a radio can easily be led to the left of the store where radios are situated or to the right where washers and ranges are displayed, and with good salesmanship, induced to double their purchases through the use of counter displays or related items.

NOVEL APPLIANCE DISPLAY

At the right side of the store, sawtooth background planes feature major appliances. The broken line is of greater interest, more stimulating, and less inclined to streamline traffic past important sales

Individual zig-zag projections are one means of isolating each model for close customer interest, at the same time retaining the value of mass display when the whole wall is viewed from a distance.

demonstration arrange-Actual ments of major appliances are planned at the back of the store (1) as traffic magnets that will draw

Proposed Design of Store Interior



The above sketch incorporates many of the suggestions for redesigning store interiors that are being offered to dealers under the "Moderneering" plan developed for Landers, Frary & Clark by a Yale University professor and various interested manufacturers. Note the saw-tooth display of major appliances, intended to stop traffic in the store, permit spotlighting of individual appliances, and yet produce a mass display effect,

customers through the store, (2) to set the stage for final decision and purchase after preliminary inspection of models and (3) to stimulate additional purchases.

The prospect is encouraged to operate the range, washer, or ironer to observe the appliance under everyday conditions—thereby sensing possession even before the purchase is made. Skillful demonstrations followed by on-the-floor trials at the point of sale are productive of volume results.

Arrangement in the model kitchen must be right, but it must never be forgotten that the customer remembers the location of doors and windows in her own kitchen space limitations which prevents her from seeing the dealer model in her home. However, her space can be arranged well for working and can have the same feeling, style, convenience, and atmosphere of the retail Demonstration Area.

OFFICE HAS PRIVACY

The office is placed at the rear of the store apart from the general merchandising area itself. This should be a place of privacy where the dealer can conduct his store business, keep his files and records, meet suppliers' salesmen, and discuss of importance with his

Air conditioning units should be placed at the rear of the store. A packaged unit makes a logical choice since it does not require a system of ducts for air distribution.

Although at the back of the store, the service department should not be isolated from the general layout. Customers should be able to find it easily, and in so doing they will be exposed to the merchandising strategy of the store arrangement.

Westinghouse Doubles Advertising Program

Cro

Dealer

Flexibl

DETRO

as empl

hnston,

ore mod

id Maho

elations l

Eighty-1

Buhl S

this ar

tline of

otion ide

ELLING,

The big

ndustry,

going

cturing-

etter pro

But effe

strongly

e new

urers of

w retaili

stwar a

have to

"That m

continu

indepe

REFRIGE

Pacific (

GREE

MANSFIELD, Ohio-New adver tising and merchandising program on refrigerators, home freezers ranges, and water heaters and con tinuance of the present full-line and automatic washer campaigns involv ing advertising expenditures alone for the last half of the year just double those of the first six months have been announced by the Westinghouse Electric Appliance Division

campaigns released this month have long been in preparation and were timed to be released right after V-E Day, said Roger H. Bolin, advertising and sales promotion manager of the Division, in making the announcement.

The largest individual product pro motion for the next six months on household refrigerators and home freezers. Two separate campaigns are planned—one on refrigeration and home freezers, beginning in lat June, in general magazines (Life, Colliers', Ladies' Home Journal, and American Magazine) and one on the larger sizes of home freezers for the farm in July issues of Country Gentleman, Farm Journal, and Pro gressive Farmer, the advertising manager said.

"The general magazine series en ploys full-color human interes photographs by Victor Keppler an announces three types of refrigera tion by Westinghouse for postwar (1) basic refrigeration in household units similar to prewar models, (2) two-temperature refrigerators with



Address....



5700 AVALON BOULEVARD . LOS ANGELES, CALIFORNIA

Crosley Emphasizes Need for Effective Selling As Chief Postwar Problem in Appliance Field

Dealers at Detroit Meeting Advised to Arrange flexible Store Displays for Better Promotion

DETROIT - The importance of necial sales and accessible floor displays in successful postwar selling was emphasized to Crosley dealers here recently in a talk by Bert Johnston, director of the company's store modernization program under sid Mahon, advertising and public relations head.

Eighty-four radio and appliance dealers handling the Crosley line met t Buhl Sons Co., Crosley distributor for this area, to hear Mr. Johnston's outline of store layout and sales pronotion ideas, and to ask questions of heir own when he had finished.

ELLING, NOT MANUFACTURING, IS THE BIG JOB

ersity

-tooth

oles

adver-

ogram

reezers

alone

ar just

months

Division

paration

d right

Bolin

act pro-

nths is

d hom npaign

(Life

for the

Country

nd Pro

ertisin

ies em interest

ler and

frigera-

ostwar:

usehold

els, (2)

s with

froze reezen

in si

omoti

1

West

The big job facing the appliance ndustry, Mr. Johnston pointed out, s going to be selling. Not manuacturing—the war has brought out etter production methods than ever efore. And not transportation—the war has streamlined that function,

But effective selling, confronted by strongly competitive field that will ee new products, new manufacurers of established products, and ew retailing outlets hungry for the ostwar appliance market, is going have to start almost from scratch. "That much is no news to you," e continued. "But remember that he independent dealer hasn't either

> **Immediate Delivery Rubber Tired Wheels**

NOW1 "Handee Andy" all purpose tube steel 600 lb.cap. Full size, first quality, not a wartime makeshift.

Light wt. very easy to handle. Ht.

4".14" wide at nose. Curved cross pieces. The only truck we sell. Specializing permits a better truck, and more of them! By mail only at present time. Fully guaranteed. F.O. B. 1% 10 days. Unrated firms cash with order. AA5 will assist immediate delivery. Clip this.

Clip this,
The HANDEES CO., Dept. 25E7 Bloomington, III.

In the West it's REFRIGERATION SERVICE INC. Pacific Coast Supply Jobber since 1928

Your istischend will bring our latest entalog-also our House Organ,

"The Liquid Line"

3109 Beverly Blvd. LOS ANGELES 4, CALIF.



the money or the facilities for finding out how this competition is setting itself up, and how to meet it."

A manufacturer is able to search out these facts, he stated, and then outlined the results of Crosley's study of the problem:

IDEAS ON STORE DISPLAYS SUGGESTED BY SURVEY

1. Put your merchandise within reach of the customer. Put it where he can see it at close range, touch it, convince himself through as many senses as the merchandise itself can appeal to.

Common sense dictates a few exceptions, but the rule stands that, given a chance, the customer who sells himself on something is really

2. Use store fixtures that are movable, flexible, interchangeable. When that is so, departments with less seasonable merchandise can be condensed in favor of those carrying bigger current values.

The best basic fixture, Mr. Johnston disclosed, is a table or blocked-in stand measuring 5 ft. x 21/2 ft. x 2½ ft.—a unit allowing a variety of multiple combinations. With it can be used glass dividers, rails, standards, and shams for raised displays.

For refrigerators, ranges, console radios, and the like, a platform 5 ft. x 2½ ft. x 3 in., serving as an island, is preferable to displays banked against a wall. Wall shelving should be equally flexible.

3. Plan your floor layouts in terms of straight aisles. Sales run high only with uninterrupted traffic flow. And not too many cross aisles; they distract attention.

KEEPING SHOPPER INTEREST

Place your best selling items and specials at the far end of the aisles. where customers will have a chance to see other merchandise along the

Keep constant shopper interest by changing displays and shifting merchandise locations within departments. The mail order houses and big department stores stress this policy. Departmental managers spend many nights planning and moving their stocks.

One of them was still on hand at 9:00 one morning, Mr. Johnston recalled, when a perplexed old lady came up and asked where she could find the drug department. He started to point it out, stopped short, trying to remember its latest location, and finally gave up altogether.

"If you'll just stand here for a few minutes, Madame," he assured her, "it's bound to come along this way any time now."

The fundamental ideas Mr. Johnston had outlined will be sent to all Crosley dealers in a few weeks' time, he told them. Called "The Fundamentals of Store Planning and Sales Promotion," it is meant not just for Crosley appliances but for all goods, presenting ideas for plete store merchandising.

FLOOR PLAN ASSISTANCE OFFERED TO DEALERS

For dealers who want detailed information on store modernization, who are planning to enlarge their stores after the war, or remodel or build further, Crosley plans to prepare booklets and kits for blueprinting their floor plans, and for setting up specific promotions around special

A dealer should run off three major promotions a year, he illustratedone in the spring, another in the fall, and one at Christmas. He should plan on six minor promotions, linked up with season openings, holidays, Mother's and Father's Days, and the like. The cost for these detail outfits will be \$40, which will cover any supplementary material issued during the year following.

Jack Morey, manager of Buhl Sons' appliance department, closed the meeting with a word on appli-ance production in the near future.

"Don't wait until the end of the year to set up your facilities for handling ranges and refrigerators," he advised. "They are not as far away as present war censorship seems to imply.

DISTRIBUTOR URGES DEALER PREPAREDNESS

"This company will have 86 trucks ready to get appliances to you when the word comes. Be ready for them just in case major appliances begin to come through in October or November or December. Don't sell yourselves short."

The Detroit meeting, explained Mr. Mahon after its conclusion, is the second one in opening the campaign toward helping dealers get ready for the postwar market. The first meeting was held in Chicago, and from here he and Bert Johnston will return to Cincinnati to go over the results before launching the program on a nationwide basis.

WANTED

Sales Executives and Salesmen

Industrial, Commercial and Residential Divisions

An excellent opportunity to join one of the larger light and power companies with a successful past and a good future

Age limit 25 to 40. In first letter please give complete information about training, experience, salary expected, and how soon available.

All replies held in confidence. Our salesmen know about this advertisement.

Box 1753

Air Conditioning & Refrigeration News




Wing Cap Valve . . .

NON-FERROUS ALLOY MEETS GOVERNMENT SPECIFICATIONS Solder connections machined directly in valve body. Has patented rotating self-aligning stem-disc. Realilent packing-valve is back-seating, permitting repacking under pressure. Wing cap can be inverted and its socket used to operate valve. Cap sealing on bonnet provides additional protection against leaks. Unrestricted flow.

For Freon and **Methyl Chloride**

THE PHILCO FREEZER CHEST WILL BE BIG BUSINESS



NIT VOLUME, dollar volume, profit volume! That's the promise of Philco to aggressive dealers who line up with Philco in selling home freezer units.

For Philco is all set to give high-powered backing to dealers. And it will be doublebarreled backing. First, there'll be the complete line of Philco Freezer Chests . . . in sizes to meet the needs of any prospect ... incorporating the advanced engineering and high quality that have become

traditional with Philco. Second, these freezer chests will be advertised and merchandised in the well-known, spectacular, sales-getting Philco manner.

Yes, Philco intends to make the sale of Philco Freezer Chests big business . . . everywhere. Dealers are now being appointed. The signal for manufacturing to start may be flashed at any moment. Will you be ready with a big-profit-making Philco franchise?

PHILCO Famous for Quality the World Over

Your Jobber for VALVE, DISC, REEDS ventional and Hermetic Type Compressors If your jobber can't supply you, send for illustrated catalog and price list.



WELLER STATE OF THE STATE OF TH

REDUCE YOUR OPERATING COSTS

"LITTLE GIANT" PURGER

The "Little Giant" Purger is an essential item and a profitable investment that quickly pays for itself because:

It reduces power costs

It saves expensive refrigerant

It reduces wear and tear on equipment

When non-condensable gases are present in a refrigerant system, it will operate at higher pressures than it would if these gases were not present. Unnecessarily high pressures result in the compressor being subject to:

Higher bearing loads
Higher discharging temperatures
Increased wear on moving parts
Greater power consumption

It is particularly important that the refrigeration system be purged after a shut-down period of any considerable time. The usual practice is to pump the refrigerant back into the receiver and lock it in by means of valves. Repairs or alterations are made on the system during this time, and it is practically impossible to evacuate the system completely, with the result that the remaining air will cause excessive head pressures.

HERE ARE THE ADVANTAGES OF PURGING WITH THE "LITTLE GIANT" PURGER:

THERE IS NO GUESSING—There is positive indication when purging is necessary. The sight glass gives visible evidence of non-condensable gases in the system.

NO REFRIGERANT LOSS—The air in the system is completely separated from the refrigerant before the purge valve is opened.

SIMPLE TO OPERATE—All operating valves easily accessible. Not necesarry to check pressures or temperatures. No need to shut down the system.

POWER SAVINGS—Power savings, due to a reduction in head pressure

will pay for the "Little Giani" many times over.

MANUAL OPERATION — Fully manually operated, there is no possibility of a slow leak developing which would cause a loss of refrigerant before cause is discovered.

Write us for full particulars and instructions for installation and operation

MUELLER BRASS CO.
PORT HURON, MICHIGAN

Servicing Frigidaire Open-Type Systems

Instalment No. 13


Editor's Note: This completes the series of articles which started in the Dec. 18, 1944, issue of the News giving authentic information on proper servicing methods for Frigidaire household refrigerators using open-type reciprocating condensing units. The material was prepared through the cooperation of the service department of Frigidaire Division, General Motors Corp.

51—Service Operations Common to High Side Float System Only

On approaching the end of this series remember that there are two service operations which are common to the high side float system only.

In addition to the operations we have illustrated, there are two which are entirely unrelated to the low side float system. These operations concern the thermostatic switch and the intermediate pressure valve, which are found on the high side float system.


52—Replacing Thermostatic Switches



Most service men are reasonably familiar with the thermostatic type of control and how it functions by relaying the signal to cut in and cut out through freezer temperatures rather than through the medium of refrigerant pressure. The operating temperatures are regulated solely by means of a knob on the thermostatic switch, located in the cabinet.

In case a switch is found inoperative and must be replaced, remove the knob and the plate behind it. Then, after disconnecting the wiring and freeing the switch, remove the bulb from the freezer by taking out the retaining screw. Then replace the switch with a new one.





This automatic reversing pump delivers from the same port regardless of direction of shaft rotation. The reversing feature provides for lubricating reversing machinery or machinery of which the ultimate rotation is not known at time of shipment. Sizes from 1 to 50 g.p.m. and pressures up to 100 p.s.i. Model CRS furnished without mounting bracket for direct incorporation into the design of the machine.

Write for Model S bulletin-

TUTHILL

939 EAST 95th ST. • CHICAGO 19, ILLINOIS

53**–**

Ser

located weight the rel

a liqui

its fun If it sl

of refr.
be necessary refriger
a 20 ii

replace soldering a restriplace. parts, intermettion the reason

replacing amount replacing in the Jefore

have made And do going to thoroug

IN C W

hal
CC
Here's a certain ramile of Thermal placement

Thermal placement Swan End Use our lems. Swan End and steel and

Servicing Frigidaire Systems

entic

hold

inits.

high

there

tem.

side

S

aying

tures

The

of a

aced

bulk

Then

Ш


of

the izes

6.i.

ine.

NY ols 53—Replacing Intermediate Pressure Valve



As illustrated here, the intermediate pressure valve is located in the liquid line near the inlet to the freezer. Being a weight type valve, its function is to impose a pressure upon the refrigerant down to the float, thus keeping the refrigerant in a liquid state and preventing the frosting of this line.

It can be seen from this, that should the valve stick open, its function would be disrupted and line frosting would occur. If it should stick shut, however, the result would be a total lack of refrigeration. In either case, replacement of this valve would be necessary, which is accomplished in the following manner:

First, install gauges and close liquid line valve. Then pump refrigerant from freezer and liquid line. When gauge registers a 20 inch vacuum, raise pressure to $\frac{1}{2}$ lb. by opening liquid line valve.


With these preparations, service man is now ready to replace the intermediate pressure valve itself. This valve has soldered connections, which must be loosened by the use of a soldering torch. After removing the intermediate pressure valve, a restrictor of the proper type should be soldered back in its place. This will operate equally well, and, by having no moving parts, is not subject to the difficulties experienced with the intermediate pressure valve. It will be noticed in the illustration that the front of the freezer has been let down. The reason is to afford more space for working on the valve.

This brings up the suggestion that since the operation of replacing intermediate pressure valves entails a considerable amount of work, to be sure the valve is really inoperative before replacing it. Keep in mind that the same symptoms are present in the case of either a stuck float or a shortage of refrigerant.

Just one more thought—remember that it pays to be sure before you act. Don't undertake any service operation until you have made a diagnosis and are certain that this diagnosis is correct. And don't proceed until you are sure of every step you are going to take. Then do the job intelligently, accurately, and thoroughly. It's worth the effort to do the work well.

BUY MORE WAR BONDS

INTO THIS
COIL
WE BENT
half a mile of



COPPER TUBING

Here's a job typical of Swan's skill in precision pipe and tube bending. A certain naval condenser unit takes a lot of copper tubing—two tons of it! Half a mile of it! To be bent into a coil no bigger than a small clothes closet. Thermal requirements for maximum efficiency of the unit make necessary the placement of the coil surfaces with great precision in all three dimensions.

Swan Engineering did it!

And in quantity!

And on time

Use our advisory engineering service in connection with your bending problems. Swan Engineering will quote promptly on bending jobs large or small, simple or complicated, in any of the usual metals or alloys including stainless steel and aluminum. Send your bending to Swan!

SWAN ENGINEERING COMPANY, Inc. 748 Frelinghuysen Ave. Newark 5, N. J.

--WANTED --

By a New England manufacturer in the MAJOR HOUSEHOLD ELECTRIC APPLIANCE FIELD the following qualified personnel: ADVERTISING & SALES PROMOTION MAN.

ASSISTANT SALES MANAGER. SALES SERVICE MAN.

PROMOTION SALESMEN for field work with Distributors and Dealers.

Opportunities for key positions to aggressive men in organizing and operating a national distribution and merchandising campaign. Write full particulars. All replies confidential. Box No. 1751, Air Conditioning & Refrigeration News.





SENSITIVITY . . . A CHIEF QUALITY


of RANCO CONTROLS

Made of finest materials available, and precision tested for accuracy at every step in fabrication and assembly, Ranco Controls are instruments of supreme sensitivity. And, Ranco Controls are constructed to insure a long life of dependable service under the most severe operating conditions.

There is an accurate and dependable Ranco Control for every pressure or temperature refrigeration Control requirement.

ASK YOUR JOBBER ABOUT RANCO

Ranco Inc. COLUMBUS 1, OHIO





Back the Attack

Buy War Bonds



make appliance prospects of service customers

 You can create a host of satisfied customers by being prepared to repair or replace inoperative motors quickly, economically, and expertly. These customers will make an attractive market for appliances, when new appliances are again available.

Designed especially to meet the growing need for smallmotor service, our dealer-proved Factory Service Plans make it possible for you to repair or replace practically any G-E fractional-hp motor, regardless of the type or make of appliance on which it is used, and you don't have to train repair-

men. G.E. does the actual repair work promptly and at reasonable costyou provide convenient, satisfactory service to your customers at a profit which you know beforehand.

Get the details of these simple. business-building plans today from your distributor, or just fill in and mail the coupon.

> Buy all the BONDS you canand keep all you buy



FRACTIONAL-HP


MOTORS

3 easy-to-use Plans for servicing G-E fractional-hp motors

1. THE EXCHANGE PLAN. Covers the most commonly used types of G-E fractional-horsepower motors. Makes possible immediate replacement from G-E field stocks or from your own buffer stock. Replacement motors carry the G-E newmotor warranty, except for finish.

2. SPECIAL REPAIR SERVICE PLAN. Provides for factory repair of semistandard G-E fractional-hp motors not covered by the EXCHANGE PLAN, at established prices. Enables you to make quick, accurate, on-the-spot estimates. Repaired motors carry the G-E new-motor warranty, except for finish.

REGULAR REPAIR PLAN. Covers fractional-hp motors not included in either of the other two plans, except extremely old or obsolete models. Inspection is made at the factory, and the cost estimate is submitted before work is started. These motors also carry the G-E new-motor warranty, except for finish. This plan rounds out this G-E service and enables you to handle repairs on practically any G-E fractional-horsepower motor.



How Does Installing & Servicing Sealed **Units Differ from Open-Type Machines?**

Carl Olin of Servel Tells RSES Group That Recent Trend To Hermetics Can Mean Wider Use of Refrigeration

ST. LOUIS-At the first of a series of meeting which are being held by the Refrigeration Service Engineers Society to acquaint refrigeration repairmen with recent developments in the field, Carl Olin, assistant sales manager of Servel's Electric Refrigeration Division, discussed hermetic units designed for commercial and air conditioning applications before the St. Louis chapter of the society.

"To the uninitiated the hermetically sealed unit can be baffling, for, since there are no revolving parts visible except the fan, the usual basis for spot inspection cannot be applied," declared Mr. Olin.

But examination of a cutaway view of sealed power units will show that they are made up essentially of the usual motor and the more or less conventional compressor, mounted within a sealed housing, he explained.

Except for the fact that the condenser fan is mounted on a separate. motor operating simultaneously with the power unit, the balance of the hermetic unit is likewise similar to that of a conventional open-type machine, Mr. Olin said.

Most of the hermetics employed for commercial or air conditioning applications are equipped with shutoff valves of somewhat conventional design which permit testing and checking operations in about the same manner as done on open machines, he added.

SERVICING MUCH THE SAME

"In other words, the approach from the refrigeration service engineer's viewpoint in the application of the unit or diagnosis of trouble is much the same as with belt-driven type equipment," he emphasized.

Mr. Olin likened the trend toward hermetic machine design to the practice of automobile repair operations of the past several years. Instead of the motor mechanic's trying to repair such accessories as water pumps, fuel pumps, or carburetors, he replaces them with a new or already reconditioned assembly. This permits the actual repair or rebuilding of these parts to be carried on in factory under production line methods.

"The advent of the hermetically sealed condensing unit has made it possible for the commercial and air conditioning industry to utilize similar practices, which, for the economy and efficiency they make possible, can result in the more widespread of mechanical refrigeration," averred Mr. Olin.

Servel, he said, has developed a design and maintenance plan based on exchanging complete accessories and sub-assemblies, such as the power unit, to apply when extensive repairs are required. An analysis of Servel's "Super-

metic," from the standpoint of design, application, and service problems that may be encountered was then presented by Mr. Olin. The compressor in the sealed unit

is of the familiar reciprocating type, with the crankcase or power unit

casing being on the suction side, he said. Suction gas is drawn through and around the motor, aiding in keeping the motor cool, he pointed out.

Mufflers are placed on both suction and discharge to make for quiet operation. Discharge is through the muffler and directly to the condenser

Moving parts of the unit are pro tected by a screen mounted at the suction shut-off valve, and the design of the suction muffler offers addi. tional protection, according to Mr.

Force-feed lubrication is employed In the smaller sizes oil reaches the bearings under pressure by means of a screw-type pump, which is fed b a cushioned oil ring slowly revolving in the crankcase oil. Main bearings, connecting rod bearings, pistons, and piston pins (through drilled connecting rods) are lubricated as the screw-type pump forces oil through the drilled crankshaft.

Condensing units of 1-hp. or larger have a piston-type oil pump to cir. culate greater quantities of oil. This pump is operated off a "throw" on the crankshaft.

"Returning the suction gas, as we do, with its entrained oil through the motor results in almost perfect mechanical separation of the oil from the refrigerant gas," declared Mr "Residual motor heat results in further distillation, minimizing any tendency to slug oil even under most adverse conditions."

DIFFERS ELECTRICALLY

Mr. Olin admitted to the R.S.E.S. group that with the hermetic units, more care and attention must be given to the electrical circuit and electrical accessories than is required for conventional belt-driven machines.

If low voltage or some other deficiency develops in the open type motor, the effects can be seen readily, and without resort to electrical test apparatus, he said.

"Not so, however, with the sealed unit," declared Mr. Olin. "Here, low voltage shows up simply as a 'cutout' at the time the control 'calls for unit operation,' a condition that is also a symptom of one or more other causes of difficulties."

Servel units, however, employ capacitor start-induction run motors which are about the same as the single-phase motors used on most open-type machines, said Mr. Olin.

"Aside from the obvious differences in the lubrication of the motor bearings, the principal difference is in the switching mechanism converting from the starting windings to the running (or main) windings," h explained.

"In the conventional open-type motor this is usually accomplished through a centrifugally operated switch—strictly mechanical—whereas in the Servel 'Supermatic' this i accomplished electrically through relay, known as a voltage type."

The starting capacitor is connected in series with the starting windings

(Concluded on next page)



Conclud ing con nd the "s said. Included nation th

if you le

sser tial

tional co

er ne

ad prote ut slightly pen mach t beyon itch to will rese erload pe e circuit.

ultaneo tarting w s the s he startin rinding to he motor a straig

nning or

"Once the

ing cycle

turned to

ermit rest


startin

ove seque In discus ervel hern ecial em the sy The prob or the next w installa ontained 1 es not alt

systems The inc hydrator is goo

Coldspot

Cutaway View of Servel 'Supermetic'



the outside a hermetic unit may appear baffling, but inside, if you look at a cutaway view such as the above, you will observe that essentially, it's made up of the usual motor and a more or less conventional compressor, mounted in a sealed housing, explains Carl Olin of Servel.

to Mr. Hermetics Require ployed. heans of Clean Systems

ation

side, h

through

ding i

pointe th suc or quie ugh the

ndenser.

re pro-

at the

design s addi.

fed by

volving

earings,

ns, and

connect.

through

oil from

ed Mr

result

imizing

n under

R.S.E.S.

c units,

ust be

nit and

achines.

en type readily,

cal test

sealed

motors

Olin.

erences

r bear-

e is in

verting

to the s," he

vhereas

this

ough

nnecte

ndings

LY

(Concluded from preceding page) eing connected between the relay and the "starting winding" terminal, as the he said.

Included in the circuit is a comination thermal and current overr larger and protection switch that differs to cir. at slightly from that found in many of oil pen machines. A rise in tempera-"throw" are or an increase in electric curent beyond limits will cause this witch to break the circuit and stop ugh the motor. As this switch cools off, perfect twill reset automatically, but if the verload persists, it will again break he circuit.

STARTING CYCLE

"When the temperature or pressure ontrol 'calls for' operation, both tarting and running (main) wind-igs of the motor are energized imultaneously," he explained.

"As the motor comes up to speed a matter of seconds), the generator fect causes voltage rise in the required tarting windings, which, on reachg a pre-determined value, enerother lizes the starting relay coil, causing he starting capacitor and starting rinding to be 'cut from the circuit.' he motor then proceeds to operate s a straight induction motor on the unning or main windings only.

"Once the unit completes an operere, low ting cycle, the relay contacts for a 'cuthe starting windings, having been alls for eturned to a 'closed' position, will that is ermit restarting as required, in the r more bove sequence."

employ In discussing applications of the ervel hermetic unit, Mr. Olin placed as the n most pecial emphasis on the necessity r the system's being clean and

> The probability that these units or the next year at least will go into ew installations only, either in selfontained fixtures or remote jobs, ces not alter the necessity of having le systems clean, he said.

"The inclusion of a Silica Gel en-type ehydrator in the liquid refrigerant plished me is good general practice, but perated his cannot be expected to do the



FOURTH AVE., NEW YORK, N. Y.

Only Chicago Valve Plates

Chicago Seals are best for Coldspot.

entire job of removing residual moisture," he emphasized.

"We have always recommended an auxiliary vacuum pump be used to remove air from the system initially, and in many cases this operation can be utilized to remove moisture also.

"If heat is applied over the system during the period a deep vacuum is being maintained, moisture will be evaporated and the system rather effectively dried out. For more complex circuits or for lower temperature applications, it is preferable to use dehydrated hot air, drawing this through the entire system from the expansion valve to the power

"When considering an old installation, any reference to 'cleanliness' or to removing 'foreign matter' includes removing all trace of the original refrigerant and refrigerant oil as well as any residual matter which would contaminate the system," added Mr. Olin.

(The Servel hermetic line uses

"Freon-12" as the refrigerant.) Such an operation can best be accomplished by circulating an approved solvent through the evaporator and connecting tubing, with a standard all-brass circulating pump, and then removing traces of the solvent by evacuation, using an auxiliary vacuum pump, he advised.

CAN'T SHORT-CIRCUIT CLEANING OPERATIONS

"Whereas such practice should have been followed as a standard practice regardless of the type of unit involved, we know in many cases it was short-circuited with the hope that no ill effects would develop," Mr. Olin declared. "Such negligence, however, simply cannot be tolerated when installing a hermetically sealed type unit."


Following use of the solvent, the system should be dehydrated by the vacuum-and-heat method previously described, and a Silica Gel dehydrator installed in the liquid refrigerant line, he said.

In operation the Servel hermetic will not encounter such troubles as seal leaks and broken or slipping belts, but a number of service complaints encountered on open-type units will also occur on hermetics, he warned.

"If the unit will run, the old rule of applying gauges as a first operait has in the past. Checking for low charge, leaking discharge valves, stopped-up expansion valve or capillary, is to be performed in the same way as these faults have been traced in belt-driven units.

"If the unit will not run, the electrical accessories can best be tested by the use of a 'test accessory' set or harness, and by elimination, the specific accessory at fault can be identified," said Mr. Olin.

"It goes without saying, if the unit is 'off the overload,' the cause of that condition must be traced and corrected. For example, it may be due to a short in the running capacitor or open circuit in the starting



CHICAGO SHAFT SEALS

Acknowledged as the industry's most effective seal for replacement (even on scored or bent shafts) because it has the self-adjusting sleevelock. Quickly installed. For REAL SATISFACTION never accept a substitute. At all jobbers.

CHICAGO SEAL CO.

20 NORTH WACKER DRIVE, CHICAGO 6, ILL.



SUPERIOR VALVE & FITTINGS COMPANY

PITTSBURGH 26, PENNSYLVANIA

OFFICES IN PRINCIPAL CITIES + STOCKS CHIGAGO (6) LOS ANGELLS (15) + JOBBERS EVERYWHERE

SUPERIOR CHECK VALVES -unique design, positive acting, spring-operated-cannot chatter, hum or buzz under any normal operating conditions. Pressure drop is negligible. Install one in the suction line of each low temperature circuit of all low temperature jobs assurance of maximum performance and trouble-free

SUPERIOR LIQUID INDICATORS—call them liquid indicators, sight glasses, or refrigerant shortage de one should be installed in the liquid line of each system. Seal cap over sight glass is double assurance against damage and leaks.

Note these exclusive features




vel design of these SUPERIOR Check Valves permits the easy removal of all internal parts—as a unit—while soldering lines to valve connections, or for subsequent inspection.

Entire upper assembly of SUPERIOR Liquid Indicators—in all sweat sizes—may be removed as a unit to preclude damage by heat while soldering lines to body connections.

If you haven't a copy of Catalog R2, request one today

AVAILABLE right now!



These TEMPRITE PRODUCTS

of applying gauges as a first operation most certainly holds as true as for the replacement of defective equipment

DEALERS: Here's an opportunity for you to sell replacement equipment to those companies that are classified as essential.

With increasing breakdowns of refrigeration equipment, industrial plants are now ready to buy new accessories for their existing equipment.



ATTENTION DEALERS

Write today for literature on Temprite's complete line of refrigerating accessories, beverage coolers, water coolers and other allied products.

Temprite's complete line of refrigeration accessories and their applications are:

INSTANTANEOUS LIQUID GOOLERS-For cooling water, light oils, alcohol, brines, acids and caustics.

OILRITE OIL SEPARATORS-For keeping oil out of low-side evaporator coils, thereby improving operation and increasing system capacity.

TWO-TEMPERATURE VALVES-For maintaining constant temperatures on all types of evaporators.

ACCUMULATOR-INTERCHANGER-A liquid line, suction line heat exchanger used to increase capacity and to eliminate refrigerant slop-over. Especially valuable on low temperature applications.

TEMPRITE PRODUCTS

Originators of Instantaneous




Liquid Cooling Devices

43 PIQUETTE AVENUE

DETROIT, MICHIGAN



BACK THE ATTACK BUY MORE WAR BONDS



to supply the services and essential requirements first. Now, we are scheduling civilian orders as they are received.

Whether it be a single unit installation or a large central system, you will find McQUAY equipment to meet your requirements — exactly.

Write for your McQuay catalogs today indicating the types of equipment in which you are most interested. McQUAY, INC., 1607 Broadway St., N. E., Minneapolis 13, Minnesota. Representatives in principal cities.

Air Conditioners - Air Conditioning Coils - Blast Coils - Blower Coolers - Comfort
Coolers - Cabinet Radiation - Concealed Radiation - Evaporative Condensers - Indoor
Cooling Towers - Ice Cube Makers - Icy-Flo Accumulators - Refrigerating Coils - Room
Coolers - Unit Heaters - Unit Coolers - Water Cooling Units

Portable Infra-Red **Dryers Speed Small** Plant's Production

FRESNO, Calif. - Production of commercial refrigerators, air conditioning units, and ductwork has been vastly speeded up at H. C. Bradshaw Co. here, refrigeration contractors, with the use of portable infra-red ray paint dryers built in the plant.

The company formerly a service and engineering firm, has recently gone into manufacturing, including a number of specialized farm refrigerators important to San Joaquin Valley fruit growers. Until April, a serious snag in production with these units was the 48 hours or more required to dry paint or enamel surfaces, which often tied up much of the manufacturing space.

To solve the problem, H. C. Bradshaw, president, designed four mobile drying units which consist of 2 x 4 lumber frames mounted on rolling caster wheels. A typical unit is 6 feet high by 31/2 feet wide, consisting of four 2 x 4's on which are mounted sockets for fifty 250 watt, 115 volt infra-red ray bulbs. Porcelain frames and heavy No. 7 wiring were used for the bulbs, which are connected to a switch box at the rear of the frame which contains 10 switches— multiple types which permit any combination of banks of bulbs to be used. The frame is braced on its platform so that it may be titled if necessary to direct infrared heat at several angles.

When a newly completed air conditioning unit or large refrigerator is painted, one or more of the infra-red dryers is wheeled into position to dry the undercoat.

Putting out 24,975 B.t.u. of dry heat, the unit can perfectly dry the undercoat in 20 minutes. Then the final coat is sprayed on, and is dried in approximately 10 minutes. Ordinary enamel can be dried in four minutes under full heat from the portable units, although it has not been necessary to force drying to this extent.

In addition to the unit described above, the Bradshaw Co. has built two more, one a small 3 x 3 foot frame with 18 bulbs which can be used inside large cabinets, and a huge 6 x 8 foot dryer which mounts 110 bulbs and will be used to dry extremely large refrigerators, putting out more than 50,000 B.t.u. All are powered from a transformer hookup on the wall near the paint shop, utilizing three-phase and a single phase service. 220 volts and 440 volts are split up on high load cable in the three wire circuit. Any combination of heat can be applied by using two or more units and restricting the number of bulbs in use. Costs for the first unit described were approximately \$225.

'We've found these portable units ideal for high speed painting and getting the boxes out of the way," Mr. Bradshaw summed up. "Not only have they cut the time required for delivery down to a bare minimum, but they have also removed the danger of explosion and fire prevalent using quick-dry lacquers and paints. Finish on every refrigerator and conditioning unit will remain handsome much longer as well."

Electrochemicals Names Tucker To Coast Job

WILMINGTON, Del. - Appointment of Albert R. Tucker to the newly created position of West Coast manager of the Electrochemicals Department, E. I. du Pont de Nemours & Co., is announced by F. S. MacGregor, general manager.

The El Monte plant and sales office at El Monte, Calif., and the district sales office at San Francisco, will be consolidated.

Art Reed To Represent Clark Bridgman Co.



ART REED

DETROIT - Art Reed has been appointed to represent the Clark Bridgman Co. of Chicago in a Michigan, Ohio, and Indiana territory, with headquarters in Detroit. The Clark Bridgman Co. is the representative for the Bush Mfg. Co.

in the Midwest. Mr. Reed is a veteran sales engineer in the commercial refrigeration field, starting out with Frigidaire in Springfield, Mass. in 1925, where he worked as a sales engineer and assistant service manager. In 1931

he joined Frigidaire's Boston branch, becoming district commercial representative for the state of Connecticut. and later sales manager of the first air conditioning department. In 1936 he went with General Heat & Appliance Co., Boston, as district sales manager, and in 1939 joined Cherry-Burrell Corp., dairy equip-

Blast Freezing Data Is Issued by Carrier Corp.

ment firm.

SYRACUSE, N. Y. - A 16-page illustrated brochure covering the subject "Blast Freezing of Foods" has just been issued by Carrier

New markets and volume-production potentials that will come from blast freezing and reviewed in relation to meat packers, fisheries, fruit growers, dairies, poultrymen, wholesale grocers, locker operators, ice cream manufacturers, restaurants,

Detailed descriptions are given of Carrier's suspended blast freezers and other equipment.



THE HUBBELL EVAPORATOR PLATE Every square inch of surface is prime heat pick-up. For Frozen Food Lockers, Freezer Cabinets, Milk Coolers, Fruit and Vegetable Counters, etc.

Write for complete information. It will pay you ENGINEERING SERVICE INC. 820 Standard Building • Cleveland, Ohio Sole Agents for THE YODER COMPANY, Fabricating Division

Refrigeration Journal

The only publication servicing the industry in Canada

National Business Publications Limited

Gardenvale, Que.

Investigate

Refrigerator EQUIPMENT SHERER-GILLETT CO.
MARSHALL, MICHIGAN

De e Prod

> In add hrough reat is rator W n the egetable If the ame te interior usually 1 If the p of heat it in ore temperat

usually t uct does food. T (as in t flowers, 1 or any cooled in WEI

refrigera

When

The an he produ which mu rating e (1) Th (2) Ho he interi (3) Th If we e remo order to c

ure of th

or, we h

product

It is ev placed e heat t oduct lo the am ind/or ste ct requip ne-half e-half a The te etermine

re tha

ooled, th

Army Refrigeration Problems

By P. B. Reed

Manager, Refrigeration and Air Conditioning Division, Perfex Corp.



Defermining the Product Load (1)

esent

Clark

terri-

Detroit.

Ifg. Co.

s engi-

eration

igidaire

where

er and

n 1931

branch

repre

ecticut

he first

al Heat

district

joined

equip

ls

rp.

ng

16-page

Foods'

Carrier

produc-

e from

in rela-

whole

ors. ice

aurants

iven of

freezers

PLATE

ers,etc NC.

ations

In addition to the heat that leaks through the walls of a refrigerator, heat is introduced into the refrigerator with the product that is placed in the refrigerator; meat, fruits, vegetables, etc.

If the product is precooled to the same temperature as that of the interior of the refrigerator there is usually no heat to be taken from it. If the product is quite warm a lot of heat will have to be taken from it in order to cool it down to the temperature of the interior of the refrigerator.

When we refer to "product" we usually think of food, but the product does not necessarily consist of food. The product may be water (as in the case of water coolers), flowers, furs, rivets, sheet aluminum, or any other product stored or cooled in the refrigerator cabinet.

WEIGHT, TEMPERATURE DIFFERENCE AND SPECIFIC HEAT

The amount of heat introduced by the product into the refrigerator and which must be removed by the refrigerating equipment, depends on:

- (1) The amount of product.
- (2) How much warmer it is than the interior of the refrigerator.

(3) The nature of the product. If we find how much heat must e removed from the product in order to cool it down to the temperature of the interior of the refrigerator, we have what is known as the "product load."

It is evident that the more product is placed in the refrigerator the more the heat that must be removed. The product load is therefore proportional to the amount of product to be cooled and/or stored. Twice as much prods, fruit uct requires twice as much cooling; one-half as much product requires

one-half as much cooling. The temperature reduction also determines the product load. The more that the product must be cooled, the greater will be the prod-



AND SERVICEMEN.
Here you have at your
fingers' ends a Completa
Library in ONE YOLUME, the necessary
data you have been looking for on: MODERN
UNITS, SYSTEMS
AND MACHINES,
REFRIGERANTS,
cesing, Lockers, Water,
Systems.

Air Conditioning Systems.

ANSWERS YOUR QUESTIONS.

230 Pages, 46 Chapters all Fully Illustated & Indexed for Ready Reference.

COMPLETE • PAY ONLY *1 A MONTH

THE STATE OF T nation for Yourself, Mail Coupon To on Unless Satisfied, ASK TO SEE IT. Dishers, 49 W. 23 St., N. Y. NEW REFRIGERATION GUIDE for

Prick "Eclipse" compressors are built with 3, 4, or 6 cylinders. Ask for your copy of Bulletin 100, telling how these superior Freon-12 compressors handle air-conditioning, water cooling, food storage, and similar refrigerating work.

uct load and consequently the greater will be the amount of refrigeration necessary to cool it.

Thus the product load is proportional to the temperature reductionthat is, the temperature difference between the warm product put in the refrigerator and the temperature to which it is cooled.

Cooling a can of milk, for example, from 90° down to 40° (a 50° reduction or temperature difference) causes twice as much product load as cooling the same amount of milk from 65° to 40° (a 25° reduction).

WEIGHT AND TEMPERATURE DIFFERENCE ONLY

To illustrate the effect of these two factors, the amount of product and the temperature reduction, let us take as an example a refrigerator, the interior of which is held at 40°. and in it we will place a tin can of water at a temperature of 70°. A gallon of water weighs approximately 81/3 pounds, and we wish to cool it 30° F.

The definition of a B.t.u. is that it is the amount of heat given off by 1 pound of water being cooled 1° F. or, conversely, it is the amount of heat that must be added to 1 pound of water in order to heat it 1° F. So cooling 8½ pounds 1° will require the removal of 8½ B.t.u. and if the 81/3 pounds are cooled 30° 250 B.t.u. will be given off $(8\frac{1}{3} \times 30)$.

SPECIFIC HEAT

The amount of heat to be removed per pound in order to cool a product 1° is not the same for all substances. Water is the standard-1 B.t.u. per pound per degree F.

Other substances are less than water. Nine-tenths of a B.t.u. is all that must be removed from 1 pound of average milk to cool it 1°. For lean beef only .78 of 1 B.t.u. must be removed to cool 1 pound 1°. For fresh fish the figure is .76, apples .71, potatoes .79, etc. These figures are called the "specific heat," and vary according to the particular substance.

In general, they are high for foods or materials having a high percentage of water content and low for others having a low percentage of water content, but not in the same proportion, that is, a food having a water content of 70% does not have a specific heat of .70 B.t.u. per pound per degree.

EXAMPLE-500 POUNDS OF BEEF

If 500 pounds of fresh beef is brought from the packing house at 40° and put in a refrigerator held at 40°, no product load is added. If, however, the meat comes from a farm slaughter house and has not been precooled but has come to a temperature of 90°, then it must be cooled through 50°, from 90° to 40°.

The amount of cooling required simply to cool the meat 50° (the product load) would be 500 pounds x 50° x .74 (specific heat of average beef) or 18,500 B.t.u.


If we expected to cool this beef down to 40° in 24 hours with the condensing unit running 16 hours out of the 24, the product load only per hour would be 1,156 B.t.u.

If this were the only warm product put into the refrigerator during the 24 hours-if it is the total product load—then the condensing unit would have to have a capacity of 1,156 B.t.u. per hour more than would be necessary than to simply remove the heat leakage.

In other words, 1,156 B.t.u. per hour or 18,500 per 24 hours product load would have to be added to the heat leakage load. (To both of these loads would have to be added the "Service Load," of which more later.)

NEGATIVE PRODUCT LOAD

If the 500 pounds of beef were delivered at 35° to the 40° refrigera-



GET SET WITH FOGEL

INQUIRE FINOW ABOUT OUR COMPLETE LINE INTERESTING PROPOSITION TO QUALIFIED DISTRIBUTORS A FEW TERRITORIES STILL AVAILABLE

. REFRIGERATOR COMPANY . Since



tor not only would there be no product load but actually the beef in warming from 35° to 40° would take one 1,850 B.t.u. per 24 hours. This could be substracted from the required 24 hour capacity of the re-

frigerating equipment.

In this case the cooling effect of the product (a negative product load) would be disregarded for it would simply mean that the machine would run an hour or so per day less. In cases of large cold storage rooms, a negative product load might have to be taken into consideration in determining the total load, especially if the product load were over one-half of the total load-in other words, greater than the heat leakage load plus the product load.

WATER COOLING-NO SERVICE LOAD

In the case of water cooling, there is no service load, so the total load is the heat leakage load plus the product load. Thus the heat leakage of the cabinet (and of the insulated lines if any of the cold water outlets are removed from the water cooler) plus the product load (consisting of the pounds of water-cooled, times the number of degrees it is cooled) will constitute the total load.

Care must be taken in computing the water load, to select the equipment to give sufficient capacity per hour to take care of peak usage of cold water per hour or for whatever length of time the peak usage continues, unless there is a reserve tank of sufficient size, or unless an ice bank is built up, to accommodate the peak usage.

(To Be Continued)

In Frigidaire Post



HOWARD E. VAN SCOYK

DAYTON, Ohio-Howard E. Van Scoyk has been appointed assistant service manager of the technical division of the Frigidaire service department, announces Service Manager Paul V. Sprout.

Mr. Van Scoyk has been a member of the Dayton General Motors organization since 1928, when he served with Delco Products. He joined Frigidaire in 1929, and until promoted was a division engineer.

E. E. Landis will continue as assistant manager in charge of the field contact and service parts sales, and other departments associated with the office, inventory control, shipping, and cataloging.

CUT MAINTENANCE TIME WITH THE NEW HARTWELL FLUSH DOOR LATCH



PRESS and it's locked shut!



Designed for use on combat planes, the Hartwell flush latch speeds the opening and closing of access doors. It can be used on metal, plastic or wood, and on doors of varying sizes and thicknesses. It can also be used on cover plates, cabinet and locker doors and flush fixtures. The Hartwell flush latch is made of stainless steel, and can be supplied unmounted or spotwelded to an installation plate.

For detailed information about uses and adaptations of the new Hartwell flush latch, write: Engineering Department, Hartwell Engineering Company.

Designers • Manufacturers • Distributors 3417 Crenshaw Boulevard, los Angeles 16, California Dallas, Texas · Kansas City, Kansas

WILL PAY TOP PRICE

for used, continuous, or other line production DEGREASING, BONDERIZING, SPRAYING AND ENAMEL BAKING EQUIPMENT;

> which can be used for refrigeration and air conditioning cabinets.

Write Box ACR, 7202, 113 W. 42 St., N. Y. 18.

WHEN PEACE COMES

WILL AGAIN PRODUCE COMMERCIAL REFRIGERATOR EQUIPMENT FOR CIVILIAN USE

SOME SELF-CONTAINED REACH-IN REFRIGERATORS ARE AVAILABLE FOR THOSE WHO CAN QUALIFY

KOCH REFRIGERATORS

NORTH KANSAS CITY . . . MO.



Cornell Chief Says Zero Storage Facilities 'Everywhere' Key To Frozen Foods Success

ITHACA, N. Y .- "I can't really get so excited about this new art of freezing food, for after all, it's only cooking in reverse and nobody gets exicted about cooking! What I get excited about is the extension of the facilities which will make frozen food available to everyone and the improvement which can be made in the human diet when these facilities have been provided."

So declared H. E. Babcock, chairman of the Board of Trustees of Cornell University, at a recent luncheon honoring Gov. Thomas E. Dewey and marking the opening of the new "Mother Zero" frozen food locker plant here.

Tracing the development of food freezing, Mr. Babcock told how he had first heard of this new art in the early "30's" from Dr. Donald Tressler, then at the Geneva Experiment Station. A trip to Washington to get Federal aid in promoting research at Cornell proved fruitless, because, said Mr. Babcock, the government was worried only about farm surpluses.

With grants from private industry and utilities, plus the loan of equipment by manufacturers, Cornell 'began its studies of frozen foods. He related that through his "needling" Danner Bierhaus had designed the first farm freezer to be made commercially, and that Emil Steinhorst & Sons of Utica, N. Y., had put it in production. At the present time,

for new Specifications Folder on the complete line of UCC Hermetic,

"case-welded" refrigera-



Gov. Thomas E. Dewey of New York, who dedicated the new "Mother Zero" locker plant at Ithaca, N. Y., gets some pointers on poultry processing from H. E. Babcock (right) as Dr. Edmund E. Day, president of Cornell university, looks on. Gov. Dewey called the plant a "pioneer . . . blazing a trail in nutrition."

Mr. Babcock emphasized, he is chiefly interested in the uses to which frozen food is put.

"The key to the use of frozen food is zero storage," he said. "I like the term zero storage because, whether it proves to be technically correct or not, it does clearly differentiate between the kind of storage, zero or below, which is required to keep frozen food safely, and ordinary cold storage.

"Ordinary cold storage in itself is a great industry. In this community, for example, it begins with the refrigerated egg truck which picks up eggs around here and delivers them to New York and it ends with the ordinary household refrigerator in some apartment house in Brooklyn to which a half dozen eggs are delivered.

"Without the almost universal availability of cold storage or refrigeration our diets could not be nearly as good as they are, nor could our great milk, poultry, and meat industries exist. The principal function of cold storage has been, and will continue to be, to keep fresh foods from spoiling before they can be used up. At best, it is a relatively short term proposition," he averred.

"Zero storage is quite a different proposition. It is to frozen food what the tin can and the glass jar are to the canning industry. If frozen food, with its proven health giving qualities, is to become universally available, zero storage must be built everywhere. It must be available the minute food is frozen. It must be built into units of transportation. It must be provided in community warehouses. It will have to become a part of the equipment of retail stores, of hotels and restaurants, and finally of every well run private

"The vision of the enormous cubage of zero storage which must be built in America thrills me. The problem of how much zero storage should be built and where to build it confounds me. I am not alone in my confusion. Don't be misled by the brave circulars of the companies which propose to build zero storage, postwar, whether in the form of a farm freezer, a community locker plant, or

a two-temperature refrigerator.

Join

Gilman

lead,

AKRON

General 7

nounced

Neil, G

"Mr. G

ar marl

f adding

nerchand

'Neil sai

"In orde

me prod

ding M

ompany a

He has

areer in

ribution

en study

the pos

"This n

eneral is

tore busi

e will a

is to de

hall be, a

handised.

lman to

(It has

rcles tha

aking a

frigerati

A nativ

an enter

ackard M

d becar

ackard, in

was ma

sition un

National I

riation, and

Retail Dry

member c

orp., has

after 15 y

major app ud bulk

t Bloomir

Mr. DuF

rial to a

istribution es, it w

s soon

"The gentlemen who are putting out this literature are just scared t death," asserted Mr. Babcock. "The don't know where the center (gravity for zero storage cubage i this country is finally going to com to rest.

"Will it be in private homes, retail establishments, in great com munity plants like the conventions cold storages, or will most of it be a the points where foods originate an are frozen? These are question which only time and experience w answer.

"Time and experience are neede for the simple reason that no on can look into the mind of the American housewife and read he longtime reaction to the use frozen food. Even if we could, then would be no guarantee that sh wouldn't exercise her woman prerogative and change her mind.

"It seems therefore that the only practical thing to do is to take som community-and this one here is good as any other-fill it up with a kinds of zero storage, make avail able as much freezing apparatus a the community will use, ship in the maximum amount of frozen foods will absorb, and sit back and se what happens," he said.

"What happens will be of great national importance. It should be possible to learn enough fast enough to prevent a lot of mistakes. should also be possible for an aler research staff to pick up innumerable leads for improvement in every phase ost of food freezing and zero storage

"With the integrity of such obser vations protected by the reputation of a great educational institution, an with the findings immediately made public, everyone interested in froze food from the farmer who grows to the consumer who eats it shoul lajor App benefit.


"The project we are launchi here today proves that cooperative and corporations can work togethe -that the common citizen is willing and capable of making his contribu tion. All we need is to get som thing practical underway, somethin which will definitely tie better agr culture to better diet."



UNIVERSAL COOLER CORPORATION . automatic Refrigeration since 1922 MARION, OHIO . BRANTFORD, ONTARIO

BALANCED HUMIDITY!

O-KAY COILS are engineered to maintain moisture balance between air and products—to prevent dehydration. Designed and built by men who know your application problems. Write today for information.





Joins General Tire

es

poultry

esident

pioneer

puttin

c. "Th

enter

ubage

eat con

ence wil

of th

read he

use o

ald, ther

that sh

woman

mind.

ake som

ratus a

ip in th foods i

and se

of great

t enoug

umerab

storage.

ch obser

perative

togethe

s willin

contribu

et som

omethin ter agn

kes.

hould b



MAX GILMAN

Gilman, Former Packard Head, Joins Tire Co.

AKRON, Ohio-Max M. Gilman, former president of the Packard Car Co., has joined The General Tire & Rubber Co., it was unnounced last week by William 'Neil, General president.

"Mr. Gilman will study the postwar market potential with a view of adding allied products to General's nerchandise line after the war," Mr. O'Neil said.

"In order that we may be prepared s soon as reconversion to peace me products is permitted, we are adding Mr. Gilman to our staff to work out an over-all program for the company and its distribution outlets," ventions aid the General Tire president. f it be a He has had a long and successful career in both production and disquestion ribution and for many months has een studying the consumer demands n the postwar era."

e neede "This move does not mean that General is going into the department tore business. It does mean that we will add a few basic items and t is to determine what these items shall be, and how they shall be merhandised, that we have added Mr. Gilman to our executive staff."

(It has been known in industry ircles that Mr. Gilman has been making a quiet investigation of the refrigeration field, among others.) with al A native of Wisconsin, Mr. Gilman entered the automotive field in 1919 as a truck salesman for the Packard Motor Car Co. of New York. He rose steadily in the organization and became general manager of Packard, in Detroit, in 1934. In 1939 was made president and held that osition until 1943, when he resigned.

an aler DuBoff Quits Appliance ry phase ost With Bloomingdale

NEW YORK CITY - Philip L. eputation DuBoff, past president of the tion, an National Housewares Buyers Asso-ly mad nation, and chairman of the National grows hember of long-standing of the lajor Appliance Steering Committee Associated Merchandising orp., has announced his resignation fter 15 years as manager for the appliance, vacuum cleaner, bulk housewares department t Bloomingdale Brothers, effective

> Mr. DuBoff now intends to give rial to a plan aimed at reducing istribution costs of major applices, it was stated.

Crosley - -

(Concluded from Page 1, Column 2) electric ranges had been produced. The development work had been under the direction of Dr. A. J. Snow, who had previously been technical director for Sears, Roebuck & Co., appliance operations. Avco had also hired Philip J. Reilly, onetime managing director of Association Merchandising Corp. (AMC) to handle its merchandising plans.

Thus far, there has been no announcement as to how this will dovetail into the existing Crosley manufacturing and merchandising setup.

There had also been rumors that part of Avco's plans embraced an for establishing production facilities in various parts of the country in order to get certain distribution economies, but this was very much in a "rumor" stage.

Crosley Motors, Inc. To Produce Cars

CINCINNATI-Organization of a new company to be known as Crosley Motors, Inc., to manufacture the Crosley car will be announced in a letter to Crosley Corp. stockholders from Powel Crosley, Jr., it was announced here.

Assets of Crosley Corp.'s automobile department will be transferred to Crosley Motors, but Crosley Corp. will retain the right to use these assets until completion of engine contracts with the U.S. Navy, it was said.

A transfer of stock will be effected for the exchange of assets, and stock in Crosley Motors, Inc., will be offered to each shareholder of Crosley Corp. who sells to Aviation Corp., Mr. Crosley said.

Water Coolers - -

(Concluded from Page 1, Column 4) be confused with any plan of governmental regulation or control, for they are commodity specifications voluntarily established by mutual consent of those concerned, the bureau emphasized, and will become established as trade customs through incorporation into sales contracts by means of labels, invoices, etc.

Copies of the new standard will be sent to "acceptors," and others interested may obtain copies from the Bureau of Standards, Washington

D. A. Newton Moves to F. J. Evans Engineering

BIRMINGHAM, Ala.—D. A. Newton has joined the F. J. Evans Engineering Co., with branch offices at Atlanta and Houston, as air conditioning engineer of the heating and air conditioning division, the company has announced. The Atlanta offices will be his headquarters.

A specialist in the field of humidity control, Mr. Newton has served with Carrier Corp., with the central enginering division of U.S. Rubber Co., and with Larkin Coils, Inc... Atlanta manufacturers of air conditioning equipment, as chief engineer. He received his mechanical engineering degree from the University of Kentucky in 1926, and joined Carrier at that time.

The Evans organization handles equipment of the Surface Combustion Corp., Toledo, which developed the Kathabar method of humidity control for air conditioning systems



Park, Vickery Promoted By G-E Division

GEORGE B. PARK (on the left) was recently named assistant advertising manager of General Electric Co.'s appliance and merchandising department, and E. F. VICKERY (on the right) was appointed operating manager for this advertising division.

Mr. Park came to G-E in 1939 after three years as advertising and sales promotion supervisor of Westinghouse air conditioning. Mr. Vickery has been with G-E since 1930 and comes to the appliance and merchandise department from the Schenectady, N. Y., plant.



Are You Getting Your Share of the Milk-Cooling Business?


SYSTEMS OF MILK COOLING A TYPE FOR EVERY REQUIREMENT ZEROFLOW MILK COOLER

The Wilson ZERO-FLOW Milk Cooler, in sizes to cool from 4 cans to 20 cans of milk daily, has set a high standard of milk-cooling speed, with economy and dependability throughout a long life. The 1945 ZERO-FLOW, engineered particularly for the use of refrigerating plates, continues the Wilson tradition of high performance in:

• RAPID AND UNIFORM COOLING
• MAXIMUM COOLING EFFICIENCY
• LOW COST OF OPERATION
• LIFE-TESTED CONSTRUCTION

If there is no Wilson Dealer near you . . . if you have an adequate sales-and-service organization . . . you can get your share of this tremendous business. Write NOW.

WILSON CABINET COMPANY COMMERCIAL REFRIGERATION SMYRNA DELAWARE




Model ZF8-HX50 Packaged-Unit





With the THERMOBANK a low temperature system is just as automatic as a 40° system



Write for Bulletin TV-345 N

KRAMER TRENTON COMPANY Trenton, New Jersey



We can save you money

Our twelve years of actual experience enables us to advise you as to the best ways and means of making profits in this highly specialized business.

Fee commensurate with services

Write for Complete details. Box 1750, Air Conditioning & Refrigeration News

HEAT TRANSFER EQUIPMENT AINT LOUIS, MISSOURI

MANUFACTURERS

Get Sales Results on Commercial Refrigeration Items in-MILWAUKEE

HENRY COLDER CO.

1825-29 W. Fond du Lac, Milwaukee




OASIS means the best in clean, correctly cooled drinking water . . . 24 hours a day year in year out! Made by EBCO . . . pioneers in electric water coolers.

EBCO Mfg. Co.

PATENTS

Weeks of May 29 & June 5

2,376,913. REFRIGERATING APPARATUS. Albert O. Grooms, Dayton, Ohio, assignor to General Motors Corp., Dayton, Ohio, a corporation of Delaware. Application Nov. 16, 1940, Serial No. 366,001. 8 Claims. (Cl. 62—4.)



1. Refrigerating apparatus including cooling means for cooling a medium, means for circulating a refrigerating fluid through the cooling means, control means for controlling the starting and stopping of the circulation of refrigerating fluid correcting means responsive to the fluid, operating means responsive to the temperature of the medium and having a connection at all times with said control means, and an auxiliary means responsive to the temperature of said cooling means and having a lost motion connection with said control means.

2,377,000. REPRIGERATION. Dale C. Gerber, North Canton, Ohio, assignor to The Hoover Co., North Canton, Ohio, a corporation of Ohio. Application March 20, 1942, Serial No. 435,497. 11 Claims. (Cl. 62—119.5.)

4. Absorption refrigerating apparatus comprising an absorber, a generator, means connecting said absorber and said generator for circulation of absorption solution therebetween, a condenser connected to receive refrigerant vapor from said generator, an evaporator positioned at an elevation above said condenser, and said absorber, a gas heat exchanger construction having a central space sur-

BALTIMORE DIVISION

1301 Wicomico Street

MICHIGAN DIVISION

5851 West Jefferson Avenue

Phone: Vinewood 1-7350 Teletype: DE 237

Phone: Rome 2000 Teletype: ROME NY 447

MAGNESIUM-ALUMINUM DIVISION

P. O. Box 2075

Baltimore 3, Md. Phone: Gilmor 0222

Teletype: BA 164

Detroit 9, Mich.

ROME DIVISION

Rome, New York


O. Box 2075

Baltimore 3, Md.

Teletype: BA 164


1301 Wicomico Street

Phone: Gilmor 0222



rounded by a pair of concentric gas flow passageways, means connecting said evaporator and said absorber for circulaevaporator and said absorber for circula-tion of inert gas therebetween including said pair of concentric gas flow passage-ways and pumping means including means extending through said central space of said gas heat exchanger for elevating refrigerant liquid from said condenser to said evaporator.

2,377,051. REFRIGERATION. Otis B. Sutton, North Canton, Ohio, assignor to The Hoover Co., North Canton, Ohio. Application Aug. 23, 1940, Serial No. 353,805. 21 Claims. (Cl. 62—5.)



1. Hermetically sealed absorption refrigerating apparatus comprising a solution circuit including a boiler and an absorber, an inert gas circuit including said absorber and a pair of evaporators, means for liquefying refrigerant vapor produced in said boiler, means for direct-

(Concluded on next page)

CLASSIFIED ADVERTISING

RATES for "Positions Wanted" \$2.50 insertion. Limit 50 words. per insertion. Limit 50 words.
RATES for all other classifications \$5.00
per insertion. Limit 50 words.
Advertisements set in usual classified
style. Box addresses count as five words,
other addresses by actual word count.
PAYMENT in advance is required for
advertising in this column.

EQUIPMENT FOR SALE

FOR SALE: Prefabricated sectional new metal walk-in storage coolers, all sizes.

10 gal. water coolers. New bottle coolers.

Frosted food cabinets. Water and air cooled condensing units. Write for list and prices. EDISON COOLING CORP.,

310 E. 149th St., New York, 51, N. Y.

25-hp. Frick, 15-hp. Frick, 15-hp. Carrier all latest model "Freon" condensing units complete water cooled condensers (like new). New Weathermakers 5 to 20 ton. New air conditioning coils complete with expansion valves. CONTROLDTEMP EQUIPMENT SALES CO., 55 West 42nd St., New York 18, N. Y.

DRY BEVERAGE coolers. Double duty. New wall type dairy and vegetable display cases 6-feet and 8-feet long. New milk cooler. No priority, immediate delivery. 4-can \$220; 6-can \$245. Frosted food cabinets, self-contained reach-ins, walk-ins, compressors, diffusers. JORDON REFRIGERATOR CO., 235 N. Broad St., Philadelphia 7, Pa.

PRANCHISES WANTED

WISH TO establish relations with renowned manufacturers of Household refrigerators, air conditioning, and ice plants. AMERICAN REFRIGERATOR CO., P. O. Box 500, Calcutta, India.

POSITIONS AVAILABLE

DRAFTSMAN and engineer for heating, ventilation, and air conditioning. KROESCHELL ENGINEERING CO., 215 West Ontario St., Chicago.

EXPERIENCED refrigeration cabinet design engineer. War work at present. Excellent postwar opportunity. Box 1723, Air Conditioning & Refrigeration News.

CHICAGO TERRITORY. Refrigeration sales engineer. Large, rapidly expanding refrigeration sales and service company. Excellent opportunity for man capable of handling all types commercial refrigera-tion and air conditioning. Good salary and commission. Unlimited contacts with all types of businesses through large service organization. Give full experience. Box 1740, Air Conditioning & Refrigeration News tion News.

MAN for commercial refrigerator production on coolers, cases, etc. Capable of drafting, designing, engineering, and handling complete factory operation in small plant with an old time firm located central U. S. Offering best of opportunity to qualifying party. Write Box 1743, Air Conditioning & Refrigeration News.

HAVE OPENING for service man in radio and appliances including automatic washers. Must be capable in making repairs and also supervise service department and contact dealers. If interested address Box 4429 Jacksonville, Fla. Give experience and references. experience and references.

SHOPMAN: Refrigeration repairs. Hourly rate \$250 month guaranteed. Opportunity for promotion to shop superintendent. COMMERCIAL REFRIGERATION, INC., formerly Oil Heating Devices, Inc., 1835 formerly Oil Heating Devices, Inc., 1835 E. 24th St., Cleveland, Ohio. Cherry 7393.

EXCEPTIONAL OPPORTUNITY: Nationally known western Wisconsin manufacturer commercial refrigeration cabinets has unusual opportunity for well trained refrigeration man with practical experience, capable assuming supervision of refrigeration installation department. ment. Give complete information as to age, education, qualifications, history past employment, and references in first letter. Write Box No. 1758, Air Conditioning & Refrigeration News.

WANTED: Refrigeration service and installation man. Top wages, best of living conditions. A job with a permanent future for the right man. Box 1756, Air Conditioning & Refrigeration News.

AIR CONDITIONING Engineering Representative, by large utility in East. Experience all types industrial, commercial, residential systems. No selling. Represent company with present cus-tomers, contractors, manufacturers; direct activities to promote business. Ability to design systems, supervise installation, insure proper application of utility services. Write for interview. Box No. 1755. Air Conditioning & Refrigeration News.

EXPERIENCED SHIPPING Room Clerk For Refrigeration Supply Jobber. manent position. Excellent oppor opportunity selected. CHASE REFRIGERA. TION SUPPLY CO., 546-48 W. 119th St., Chicago 28, Ill.

REFRIGERATION ENGINEER, qualifications both inside engineering and layout work and some outside contacting plant engineers on specialized refrigeration problems. Engaged manufacture of in-dustrial cooling units at present and are planning to expand line to meet postwar needs. Salary commensurable with ex-perience. Replies held strictly confi-dential. Box No. 1754, Air Conditioning & Refrigeration News.

NATIONALLY KNOWN lowside manufacturer in the East has openings with opportunities in sales organization. Must have refrigeration background. State full details in first letter. Box No. 1746, Air Conditioning & Refrigeration News.

HAVE an unusual opportunity for an experienced refrigeration mechanic to direct and supervise our Service & Installation Department. Also good opening for several good service men.

openings for our Chicago Brane Box 1744, Air Conditioning & Refriger tion News.

BUSINESS OPPORTUNITIES

old estal

mall den

manufactu Must have

dustry in design products. dling sal under the

president immediate ostwar

surate wit Give qua

Air Condi

VALVE

NORTHE

ly con

EFRIGE

THAT

THIS

LABEL

the label

our jobbe

n factory c

Having

KOLD-HO!

VA

2100

WELL ESTABLISHED Domestic WELL ESTABLISHED Domestic an Commercial Refrigeration Sales as Service business in Schenectady, N. and distributor for reputable nation manufacturer, complete with stock, tool fixtures, land and buildings; will sell the service of aggressive organization \$10,000 require Box No. 1757, Air Conditioning Refrigeration News.

EQUIPMENT WANTED

WANTED BY Pacific Coast distribute WANTED BY Pacific Coast distribute following equipment: air conditionic compressors ½ hp. to 30 hp. and air conditioning colls; also line of domestic a farm frozen food cabinets. Box No. 18 Air Conditioning & Refrigeration News

WE NEED machines. Refrigeration are air conditioning equipment is in grademand now. A wire will bring you can fast for used or surplus stock. Comme cial, air conditioning and all specialty any quantity. E. M. FAIRBANKS COMPANY, 2548 East Tremont Ave.. No. York 61, N. Y.

POSITIONS WANTED

DOMESTIC REFRIGERATOR mecha desires to contact well known air conditioning and commercial refrigeration company. Anthony Merola, 2364 Valentin Ave., Bronx, New York, N. Y.

REFRIGERATION DESIGN and Develo REFRIGERATION DESIGN and Development Engineer. Fully conversant with the requirements for successful operation in the commercial refrigeration and hom freezer fields, wishes to contact prospetive or established manufacturers. He had extensive engineering and manufacturing experience in the unit and cabination fields. Box 1745, Air Conditioning Refrigeration News.





A U T O M A T I O

Pressure, Temperature and Flow Controls

GENERAL CONTROLS Branches: Boston - New York - Philadelphia - Cle Detroit - Chicago - Dallas - Denver - San Fre

LABORATORY PROJECT **ENGINEERS**

with experience in electrical of mechanical development work. Able to handle all testing of a product or specialized project. Nationally known refrigerator manufacturer with excellent present and post-war opportunities. State qualifications and experience. Box No. 1725, Air Conditioning & Refrigeration News.

CHIEF INSPECTOR

Chief Inspector to head inspection division of nationally known houserefrigerator manufacturer. Must be a graduate of an accredited engineering college with ten years experience in refrigeration or related fields. Requires thorough knowledge of machine shop technology and assembly practice. State qualifications experience. Box No. 1734, Conditioning & Refrigeration News.

Manufacturer's Representative with well established following among refrigeration and air conditioning jobbers, contractors, and sales-service organizations in Metropolitan New York market now making plans for postwar equipment distribution. Seeks one of two outstanding lines for intensive development in this area. Box No. 1749, Air Conditioning & Refrigeration News.

DO YOU DESIRE REPRESENTATION IN MIDWEST

Firm with established offices in Dayton to represent manufacturers in Midwer Personnel traveling through Midwer territory have engineering and salbackground and intimate knowledge refrigeration, automotive, aircraft. other industries. Now is the time to get set for the large postwar markets in this territory. Well financed. Write today. Box No. 1761, Air Conditioning & Refrigeration News.





Served by each of the Revere Offices is a group of Revere Distributors who can supply you with Revere Dryseal Copper Tube for refrigeration, air conditioning, heat control, bottled gas, and many other services. If you do not know where your Revere Distributor is located, call the nearest Revere Office for his name and address.



COPPER AND BRASS INCORPORATED

Founded by Paul Revere in 1801

Executive Offices: 230 Park Avenue New York 17, N.Y.

ERE - AT YOUR SERVICE

DIVISION OFFICES AND MILLS

DALLAS DIVISION 2200 No. Natchez Avenue

Phone: Merrimac 2600

24 North Front Street

New Bedford, Mass.

Teletype: NB 87

Chicago 35, III.

Teletype: CG 957

Rome, New York

Phone: Rome 2800

DIVISION

NEW BEDFORD DIVISION

Phone: New Bedford 8-5601

CHICAGO MANUFACTURING

2200 No. Natchez Avenue

ROME MANUFACTURING

Phone: Merrimac 2600

COMPANY DIVISION

Teletype: ROME NY 449

Chicago 35, III.

Teletype: CG 957

DISTRICT SALES OFFICES

At above Mill Points and in the following cities

ATLANTA 3, GA. Rhodes-Haverty Bldg. Phone: Main 2142 Teletype: AT 96 BOSTON 10, MASS. 140 Federal Street Phone: Hubbard 7190 BUFFALO 7, N. Y. 1807 Elmwood Aven Phone: Delaware 7616 CINCINNATI 2, OHIO Carew Tower Phone: Main 0130 Teletype: CI 171 CLEVELAND 15, OHIO Midland Bldg. Phone: Cherry 3930 Teletype: CV 572 DALLAS 1, TEXAS

Tower Petroleum Bldg. Phone: Central 8681 Teletype: DL 88 DAYTON 2, OHIO Mutual Home Bldg. Phone: Hemlock 3271

GRAND RAPIDS 2, MICH. Keeler Building Phone: Grand Rapids 8-0511 & 6-1314 Teletype: GR 376

HARTFORD 3, CONN. 410 Asylum Street Phone: Hartford 2-3828 Teletype: HF 87 **HOUSTON 2, TEXAS**

Mellie Esperson Bldg Phone: Fairfax 7932 INDIANAPOLIS 4, IND. Circle Tower Phone: Market 1908

LOS ANGELES 15, CALIF. 714 W. Olympic Blvd. Phone: Richmond 9314

MILWAUKEE 2, WIS. 626 E. Wisconsin Avenue Phone: Marquette 1440 Teletype: MI 292

MINNEAPOLIS 2, MINN. Metropolitan Bldg Phone: Atlantic 3285

NEW YORK 17, N. Y. New York Central Bldg. 75 East 45th Street Phone: MUrray Hill 9-6800 Teletype: NY 1-1222

PHILADELPHIA 3, PA. Sixteen Sixteen Walnut St. Bldg. Phones: Bell-Pennypacker 6133 Keystone-Race 1847 Teletype: PH 206

PITTSBURGH 19, PA. Gulf Bldg. Phone: Court 4342 Teletype: PG 572

PROVIDENCE 3, R. I. Industrial Trust Bldg. Phone: Gaspee 8110

ST. LOUIS 1, MO. Telephone Bldg. 1010 Pine Street Phone: Garfield 4416 Teletype: SL 191

SAN FRANCISCO 4, CALIF. Russ Bldg. Phone: Sutter 0282

SEATTLE 1, WASH. 1331 Third Avenue Phone: Main 8372

MAN WITH IMAGINATION-WANTED

Bran

Refrige

TIES

estic Sales

dy, N.
e nation
tock, too
will sell

require

distribute onditionin ad air con mestic an x No. 175 on News.

ration a

in gre g you ca Comme

specialt NKS CO

Ave. N

mechan air conc frigerati

d Develo

rsant w

operat

et prosp

tioning

TION

CTS

rical

an ac

ge with

frigera-Requires machine

ly prac-

ors, and

in Met-

et now

equip-

one of

inten-

area.

ning &

Midwest

ledge of aft, and time to

D

old established mid-western manufacturer wants man with imagination who can qualify as manager of mall department specializing in a limited number of refrigerated items imited number of refrigerated items manufactured on production basis. Must have experience in refrigeration industry and be capable of assisting in design and engineering of new products. Main duties will be handling sales and service activities under the supervision of the vice-president in charge of marketing. Immediate opening with excellent postwar future. Salary commensurate with ability and performance. Give qualifications in first letter.

Address Box 1760 Air Conditioning & Refrigeration News



VALVES AND FITTINGS for Refrigeration

NORTHERN INDIANA BRASS CO. ELKHART, INDIANA

WATER DEFROST



FRIGERATION ENGINEERING Inc.





the label that is your guarantee of aximum performance and satisfaction. Your jobber stocks it—for refilling and in factory charged dryers.



Having Greater Efficiency

rentine Plates for locker plants, sharp freezing binet liners, and beverage cooling. Streamline Truck Plates for refrigerated transportation.


KOLD-HOLD MANUFACTURING CO. Lansing 4, Mich 425 N. Grand Ave.

Patents (Cont.)

(Concluded from preceding page)


ing the inert gas and liquefied refrigerant into one only of said evaporators, and magnetic means positioned exteriorly of the fluid confining walls of said apparatus for operating said directing means.

REFRIGERATION. George A. Brace, Takoma Park, D. C., assignor to The Hoover Co., North Canton, Ohio, a corporation of Ohio. Application March 20, 1942, Serial No. 435,491. 12 Claims. (Cl. 62—118.)




1. An intermittent absorption refrigerating machine including an absorbergenerator having an absorbent receiving chamber charged with a refrigerant and an absorbent, the absorbing characteristics of which are subject to impairment if the same is contacted by liquid refrigerant, a condenser above said absorbergenerator, a conduit leading from said absorber-generator to said condenser, a absorber-generator to said condenser, a heating tube for said absorber-generator, and a liquid trap in said conduit above said absorber-generator in direct heat exchange relationship with said heating tube and connected to said absorbent receiving chamber by an upwardly ex-tending vapor conduit.

2,377,332. ABSORPTION REFRIGERATING APPARATUS. Nils Erland af Kleen, Stockholm, Sweden, assignor to Kleen Befrigerator, Inc., Hoboken, N. J., a corporation of Delaware. Application May 15, 1941, Serial No. 393,599. 15 Claims. (Cl. 62—5.)



13. Absorption refrigerating apparatus including two boiler-absorbers having alternate heating and cooling periods, heating means for said boiler-absorbers, cooling means for said boiler-absorbers, and control means constructed and arranged to operate said heating means to heat each boiler-absorber to a preheat each boiler-absorber to a pre-determined end temperature and to pre-vent operation of said cooling means until both boiler-absorbers have been heated to their respective predetermined end tem-

2,377,333. ABSORPTION AND ADSORP-TION REFRIGERATING APPARATUS. Mils Erland af Rieen, Stockholm, Sweden, assignor to Kleen Refrigerator, Inc., Koboken, N. J., a corporation of Delaware. Application Dec. 22, 1941, Serial No. 423,875. 5 Claims. (Cl. 62—118.)




2. In absorption refrigerating apparatus of the type operating with a refrigeration fluid in conjunction with solid absorbent material and including a generator, heatmaterial and including a generator, heating means for said generator, and a condenser arranged at a higher level than said generator; the combination of a conduit interconnecting said generator and said condenser for the passage of vapors, said conduit having a coil portion adjacent its connection with said generator arranged to be heated by said heating means to prevent condensation of vapors in their passage from the generator to the condenser and return of condensate to the generator. to the generator.

2,377,503. REFRIGERATION CONTROL. 2,377,503. MEPRICEMENTION CONTROL. Carl G. Kronmiller, Minneapolis, Minn., assignor to Minneapolis, Monn., a corpora-tion of Delaware. Application Dec. 20, 1940, Serial No. 371,001. 26 Claims. (Cl. 200-81.5.)

AUTOMATIC CONTROL


2100 INDIANA AVENUE · CHICAGO 16, ILL.

VALVES AND REGULATORS



1. In a device of the class described, in combination, a switch, switch actuating means, comprising a floating lever for operating the switch to both of its positions, means forming stops between which the lever moves, means for moving the lever between said stops to actuate the switch, and a separate automatic means for directly actuating the switch independently of the lever.

2,377,782. REFRIGERATION. Pritz A. Hedman, Meadville, Pa., assignor to Servel, Inc., New York, N. Y., a corporation of Delaware. Application Aug. 9, 1941, Serial No. 406,075. 11 Claims. (Cl. 62—3.)



In the method of operating a refrig-4. In the method of operating a refrigerator having a cooling element therein to produce a cooling effect with the aid of the system in which refrigerant vapor is liquefled and such liquid refrigerant normally flows to the cooling element for evaporation therein to produce the cooling effect, and in which the cooling element is defrosted by intermittently reducing the normal flow of liquid refrigerant to the cooling element and introducing refrigerant vapor into the cooling element to cause melting of frost or ice accumulated thereon, the improvement which consists in restricting the intro-duction of refrigerant vapor into the cooling element and allowing the normal flow of liquid refrigerant to said cooling element to continue, even when it is de-sired to effect defrosting, as long as the light intensity in the vicinity in which the refrigerator is located is at or above a predetermined value.

Wierman Heads Milwaukee Chapter of RSES

Other officers elected were: G. D. at-arms.

International Society.

2 New Air Conditioning Firms Formed in Buffalo

BUFFALO-Business names have been filed for two heating and air conditioning firms here. They are Automatic Heating & Appliance, 823 Niagara St., Joseph Mondo, and Daverne Heating & Air Conditioning Co., 389 Hewitt Ave., Ray M. Daverne.

Tampa

MILWAUKEE—Felix R. Wierman of the Perfex Corp. was recently elected president of the Refrigeration Service Engineers Society chapter here. Mr. Wierman was instrumental in reorganizing the Milwaukee Chap-

Wang, first vice president; Herbert Beck, second vice president; George Shirmacher, secretary; Walter Stelma, treasurer; and Leo Slawner, sergeant-

The monthly meetings of the R.S.E.S. are held at the Milwaukee School of Engineering, 1020 North Broadway, on the first Tuesday of every month. The charter will soon be presented to the Milwaukee Chapter by the officers of the

SUPPLIES, INC.

Atlanta Jacksonville Charlotte

GENUINE

"The South's Largest Refrigeration Supply Jobber"







Coil Construction 2-Guaranteed Ratings Quiet, positive pressure fan Rustproof metal cabinet 3-Prices Below Pre-War Baked enamel finish Streamline construction Adjustable louvres Slotted hangers for easy installation Complete range of capacities

> Let us send you complete information about our post-war line of cooling units. They are new and different.

For Information. Call or Write-

BETZ CORPORATION

HAMMOND, INDIANA

In New Sales Job



CHARLES R LOGAN

Was recently appointed vice president in charge of sales for Electric Power Equipment Corp. of Philadelphia, which plans to enter the refrigeration field.

Washers - -

(Concluded from Page 1, Column 3) mal distribution channels, WPB announced.

Because materials and components needed for production of washers will be obtainable in varying quantities and at various times, it may be some time before all are in balance, WPB

Under Order L-6, covering domestic washing machines, manufacturers can apply for permission to produce with priorities assistance by filing form WPB-3700 with WPB field Manufacturers in Group I or Group II labor areas who employ more than 100 workers are required to obtain approval on form WPB-3820 for the use of labor, WPB said.

Whenever practicable, each applicant will receive a pro rata share of his productive capacity, based upon his facilities and the availability

of manpower, according to WPB.

Approved list of third-quarter washer manufacturers and their quotas follows:

Nineteen Hundred Corp.,	
St. Joseph, Mich.	38,821
General Electric Co.,	
Bridgeport, Conn.	18,430
Bendix Home Appliances, Inc.,	
South Bend, Ind	18,000
The Maytag Co.,	
Newton, Iowa	38,504
Norge Division,	
Borg-Warner Corp., Detroit	7,842
Automatic Washer Co.,	
Newton, Iowa	6,700
Dexter Co., Fairfield, Iowa	6,400
Landers, Frary & Clark,	
New Britain, Conn	5,600
Appliance Mfg. Co.,	
Alliance, Ohio	4,900
Zenith Machine Co.,	
Duluth, Minn	4,200
One Minute Washer Co.,	
Kellog, Iowa	3,200
Westinghouse Electric Corp.,	
Mansfield, Ohio	3,200

Williams - -

(Concluded from Page 1, Column 4) its prewar line with a cordless electric iron, sink garbage disposer unit, and other household appliances, said Mr. Matheson.

"Oil-O-Matic will continue with a complete line of conversion burners, boiler-burner units, furnace-burner units, and oil-burning water heaters. Our plans are in tune with the tremendous expansion of the oil heating market with its predicted \$900,000,-000 in sales for the first five postwar



for satisfactory service

Important any time, but more so now, MANHATTAN Whipcord F/HP V-Belts keep MANHATTAN Whipcord F/HP V-Betts keep home and store equipment running.

MORE POWER—grip the grooves, stop slips, uniform "pull."

LONGER LIFE—Endless cord construction resists internal heat and side wear.

SILENT RUNNING—Smooth and noiseless on high paged drives.

on high-speed drives.

THE MANHATTAN RUBBER MFG. DIVISION of Raybestos-Manhattan, Inc. tive Offices and Factories . . . Passolo

Few Ranges - -

(Concluded from Page 1, Column 5) version, committee members said.

Use of electric timing control clocks, and lamps, has not been permitted, except by specific authoriza-tion. Sale of these clocks and lamps as accessories was suggested at the meeting, and will be a further subject for discussion at the committee's next meeting, tentatively set for Aug. 16.

Not all materials will be available on the open market during the transitional period, WPB representatives emphasized. While ranges identical with those of prewar models will be difficult to produce, it is believed that range manufacturers will be able to procure satisfactory substitutes for materials in short supply, they said.

Fedders - -

(Concluded from Page 1, Column 2) automatic expansion valves, constant pressure valves, as well as coils,

evaporators, and condensers. A considerable part of Fedders' wartime production facilities has been devoted to oil coolers and heat interchangers for aircraft.

Just how rapidly the company can return to all-out production of its unit coolers and condenser coils is not known at present, Mr. Scott said, declaring that one important difficulty is the shortage of engineers on the Fedders staff.

"We will also have to re-establish our sales organization, and we haven't decided just how we will distribute our unit cooler line," he added, "but I expect considerable expansion of our activities."

Connecticut Valley Section of A.S.R.E. Organized; Council Told Membership Has Doubled In 3 Years


CINCINNATI-John F. Stone, national president of the American Society of Refrigerating Engineers, presented a charter to the chairman of the new Connecticut Valley section, A. W. Towson, at a meeting of the A.S.R.E. council held June 11 in the Hotel Gibson here.

Deliberations by the council included a discussion of the Society's future policies in connection with research and standardization, as well as reports from all standing com-

Chairmen or appointed representatives of each of the 21 local sections of A.S.R.E. were present at a meeting of the organization's sections committee also held here June 11. At this session, presided over h William S. Woodside, chairman the committee, improved methods conducting section affairs were dis cussed. The executive and finance committees of the Society also me on the same day.

Membership of the organization has increased by 688 members and associates during the past nin months, the total membership bein 3,713, as of May 31. This is prac tically double the membership roll of May 31, 1942.

No definite action on time or place of the forty-first annual meeting wa taken, since present ODT regula tions may still be in effect i December of this year.



Offering a wide selection of capacities to meet the requirements of any job, Bush Heavy-Duty Coolers meet government specifications and are used by the U.S. Army and Navy. Compact and neatly designed, only the finest materials and parts are used in their manufacture.

Designed for convenient installation and service.

Bush Heavy-Duty Coolers are available for temperatures above or below 32°F. (Low temperature models equipped with water defrosting feature.)

Write for new Bush Catalog which illustrates and describes the Heavy-Duty Cooler . . . and other Bush Heat Transfer Products. For advanced engineering Buy Bush.



HARTFORD, CONNECTICUT 415 LEXINGTON AVENUE, NEW YORK * 549 W. WASHINGTON BOULEVARD, CHICAGO EXPORT ADDRESS: 13 EAST 40TH STREET, NEW YORK * CABLE "ARLAB"